

**BATT IMPRES LIION IP68 2100T****Model No:** PMNN4491D**Description:** BATT IMPRES LIION IP68 2100T**ROHS:** Yes **CE:** Yes **Country of Origin:** MY**Price:** €138.00

| | |
|-----------------------------------|-------------------------------|
| Weight (GM-Gram) | 135 |
| Dimensions (MM-Millimeter) | 51.65 (W) 20.7 (H) 112.35 (L) |
| Chemistry | Li-Ion 2100 mAh |
| Intrinsic Safety Rating | No rating |
| IP Rating | IP68 |
| Technology | IMPRES |
| Type | Battery |

**BATT IMPRES LIION IP68 1950T****Model No:** PMNN4525B**Description:** BATT IMPRES LIION IP68 1950T**ROHS:** Yes **CE:** Yes **Country of Origin:** MY**Price:** €138.00

| | |
|--------------------------------|----------------------|
| Weight (LB-Pound) | 0.33 |
| Dimensions (IN-Inch) | 1 (W) 4.42 (H) 2 (L) |
| Chemistry | Li-Ion 1950 mAh |
| Intrinsic Safety Rating | No rating |
| IP Rating | IP68 |
| Technology | IMPRES |
| Type | Battery |

**IMPRES Li-Ion 2450mAh CE Battery**

Compatible with XPR 3000/3000e series and APX 7000/7000e series, this MOTOTRBO portable radio accessory is an IMPRES Li-Ion 2450 mAh IP68 battery.

Model No: PMNN4544A**Description:** BATT IMPRES LIION IP68 2450T**ROHS:** Yes **CE:** Yes **Country of Origin:** MY**Price:** €152.00

| | |
|--------------------------------|-------------------------|
| Weight (-) | - |
| Dimensions (IN-Inch) | 0.88 (W) 4.38 (H) 2 (L) |
| Chemistry | Li-Ion 2450 mAh |
| Intrinsic Safety Rating | No rating |
| IP Rating | IP68 |
| Technology | Original |
| Type | Battery |

PROFESSIONAL RADIOS

DP4401 EX

MOTOTRBO™ DP4401 Ex ATEX Portable Two-Way Radio VHF Model



This ATEX-certified non-display DMR radio is packed with all the advantages of MOTOTRBO to help keep you connected in the toughest environments.

Threats from explosive gas or combustible dust, on an oil rig or in an open mine, your workers confront them daily. Safe, reliable communication is absolutely critical in such dangerous environments. That's where the power and performance of MOTOTRBO digital portable radio stands out.

The DP4401 Ex ATEX-certified portable delivers unrivaled voice and data communications with integrated GPS plus best-in-class audio that includes Intelligent Audio and customizable voice announcements.

Available in UHF and VHF frequency bands, the DP4401 Ex digital portable two-way radio is easy to use and features up to 32 channel capacity, three programmable buttons, emergency button, mandown and lone worker functions and IP67 specifications for submersibility.

| Model No | Technical Description |
|----------------|-----------------------------------------------------------------------------|
| MDH56JCC9LA3AN | DP4401 EX VHF NKP GPS PBE302BEEX ROHS: N/A CE: Yes Country of Origin: MY |

PRODUCT OPTIONS

| | |
|----------------------------|--------------------------------------------------------------------------------------------------------------------------------|
| Band Split | VHF |
| Display & Keypad Type | Non-Display, No Keypad |
| Encryption Type | Basic Privacy, Enhanced Privacy |
| Enhanced Radio Features | Mandown, Third Party Applications |
| Intrinsically Safe | Yes (ATEX) |
| IP Rating | IP64 |
| Number of Channels | 32 |
| Power | 1W |
| Standard Package Includes: | 1 x Radio, Battery, Charger, Antenna, Dust Cover, Belt Clip |
| System Compatibility | Analog Conventional, Digital Conventional, IP Site Connect, Capacity Plus Single, Capacity Plus Multi, Capacity Max (Optional) |
| Type | Portable |

PROFESSIONAL RADIOS

DP4401 EX

MOTOTRBO™ DP4401 Ex ATEX Portable Two-Way Radio VHF Model

| Model No | Technical Description | Price |
|----------------|-----------------------------------------------------------|------------------|
| MDH56JCC9LA3AN | MOTOTRBO™ DP4401 Ex ATEX Portable Two-Way Radio VHF Model | €1,394.00 |

MANDATORY OPTIONS:

| | Option SKU | Description | Price |
|------------------------------------------|------------|--------------------------------------|---------|
| CLS ANT DP4801EX DP4401EX VHF | QA03243AA | ADD: GPS HELICAL ANTENNA 136-147M EX | €0.00 |
| | QA03244AA | ADD: GPS HELICAL ANTENNA 147-160M EX | €0.00 |
| | QA03245AA | ADD: GPS HELICAL ANTENNA 160-174M EX | €0.00 |
| | QA03246AA | ADD: STUBBY ANTENNA 11CM 136-147M EX | €0.00 |
| | QA03247AA | ADD: STUBBY ANTENNA 11CM 147-160M EX | €0.00 |
| | QA03248AA | ADD: STUBBY ANTENNA 11CM 160-174M EX | €0.00 |
| | QA03249AA | ADD: WIDEBAND ANTENNA 136-174M EX | €0.00 |
| CLS CHG DP4801EX DP4401EX | QA03250AA | ADD: IMPRES SUC SMPS-CE UK 230V | €0.00 |
| | QA03251AA | ADD: IMPRES SUC SMPS-CE EU 220/240V | €0.00 |
| | QA03252AA | DEL: CHARGER | -€53.00 |
| CLS MAN DP4801EX DP4401EX | QA03256AA | ADD: DP4X01 EX QUICK REF GUIDE | €3.00 |
| | QA03257AA | DEL: QUICK REFERENCE GUIDE | €0.00 |
| CLS ACC DP4801EX DP4401EX | QA04011AA | ADD: PELTOR INTERFACE/PTT CABLE | €588.00 |
| | QA04012AA | DEL: PELTOR INTERFACE/PTT CABLE | €0.00 |
| PCR SERV OPTION | QA07709AB | STD: 5YR ENHANCED WARRANTY | €0.00 |
| | QA07711AB | ADD: 5YR ENH WARR W REPAIR | €165.00 |
| | QA07712AB | ADD: 5YR ENH WARR W REPAIR/ACC DMG | €275.00 |

PROFESSIONAL RADIOS

DP4401 EX

MOTOTRBO™ DP4401 Ex ATEX Portable Two-Way Radio VHF Bulk Model



This ATEX-certified non-display DMR radio is packed with all the advantages of MOTOTRBO to help keep you connected in the toughest environments.

Threats from explosive gas or combustible dust, on an oil rig or in an open mine, your workers confront them daily. Safe, reliable communication is absolutely critical in such dangerous environments. That's where the power and performance of MOTOTRBO digital portable radio stands out.

The DP4401 Ex ATEX-certified portable delivers unrivaled voice and data communications with integrated GPS plus best-in-class audio that includes Intelligent Audio and customizable voice announcements.

Available in UHF and VHF frequency bands, the DP4401 Ex digital portable two-way radio is easy to use and features up to 32 channel capacity, three programmable buttons, emergency button, mandown and lone worker functions and IP67 specifications for submersibility.

| Model No | Technical Description |
|-----------------|-----------------------------------------------------------------------------|
| MDH56JCC9LA3ANB | DP4401 EX VHF NKP GPS PBE302BEEX ROHS: N/A CE: Yes Country of Origin: MY |

PRODUCT OPTIONS

| | |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| Band Split | VHF |
| Display & Keypad Type | Non-Display, No Keypad |
| Encryption Type | Basic Privacy, Enhanced Privacy |
| Enhanced Radio Features | Mandown, Third Party Applications |
| Intrinsically Safe | Yes (ATEX) |
| IP Rating | IP64 |
| Number of Channels | 32 |
| Power | 1W |
| Standard Package Includes: | 1 x Radio, Battery, Charger, Antenna, Dust Cover, Belt Clip |
| System Compatibility | Analog Conventional, Digital Conventional, IP Site Connect, Capacity Plus Single, Capacity Plus Multi, Connect Plus, Capacity Max (Optional) |
| Type | Portable |

PROFESSIONAL RADIOS

DP4401 EX

MOTOTRBO™ DP4401 Ex ATEX Portable Two-Way Radio VHF Bulk Model

| Model No | Technical Description | Price |
|-----------------|----------------------------------------------------------------|------------------|
| MDH56JCC9LA3ANB | MOTOTRBO™ DP4401 Ex ATEX Portable Two-Way Radio VHF Bulk Model | €1,349.00 |

MANDATORY OPTIONS:

| | Option SKU | Description | Price |
|-------------------------------------------|------------|--------------------------------------|---------|
| CLS ANT DP4801EX DP4401EX VHF | QA03243AA | ADD: GPS HELICAL ANTENNA 136-147M EX | €0.00 |
| | QA03244AA | ADD: GPS HELICAL ANTENNA 147-160M EX | €0.00 |
| | QA03245AA | ADD: GPS HELICAL ANTENNA 160-174M EX | €0.00 |
| | QA03246AA | ADD: STUBBY ANTENNA 11CM 136-147M EX | €0.00 |
| | QA03247AA | ADD: STUBBY ANTENNA 11CM 147-160M EX | €0.00 |
| | QA03248AA | ADD: STUBBY ANTENNA 11CM 160-174M EX | €0.00 |
| | QA03249AA | ADD: WIDEBAND ANTENNA 136-174M EX | €0.00 |
| CLS CHG DP4801EX DP4401EX BULK | QA03253AA | ADD: IMPRES SUC SMPS-CE UK 230V | €0.00 |
| | QA03254AA | ADD: IMPRES SUC SMPS-CE EU 220/240V | €0.00 |
| | QA03255AA | DEL: CHARGER | -€53.00 |
| CLS MAN DP4801EX DP4401EX | QA03256AA | ADD: DP4X01 EX QUICK REF GUIDE | €3.00 |
| | QA03257AA | DEL: QUICK REFERENCE GUIDE | €0.00 |
| CLS ACC DP4801EX DP4401EX | QA04011AA | ADD: PELTOR INTERFACE/PTT CABLE | €588.00 |
| | QA04012AA | DEL: PELTOR INTERFACE/PTT CABLE | €0.00 |
| PCR SERV OPTION | QA07709AB | STD: 5YR ENHANCED WARRANTY | €0.00 |
| | QA07711AB | ADD: 5YR ENH WARR W REPAIR | €165.00 |
| | QA07712AB | ADD: 5YR ENH WARR W REPAIR/ACC DMG | €275.00 |

PROFESSIONAL RADIOS

DP4401 EX

MOTOTRBO™ DP4401 Ex ATEX Portable Two-Way Radio UHF Model



This ATEX-certified non-display DMR radio is packed with all the advantages of MOTOTRBO to help keep you connected in the toughest environments.

Threats from explosive gas or combustible dust, on an oil rig or in an open mine, your workers confront them daily. Safe, reliable communication is absolutely critical in such dangerous environments. That's where the power and performance of MOTOTRBO digital portable radio stands out.

The DP4401 Ex ATEX-certified portable delivers unrivaled voice and data communications with integrated GPS plus best-in-class audio that includes Intelligent Audio and customizable voice announcements.

Available in UHF and VHF frequency bands, the DP4401 Ex digital portable two-way radio is easy to use and features up to 32 channel capacity, three programmable buttons, emergency button, mandown and lone worker functions and IP67 specifications for submersibility.

| Model No | Technical Description |
|----------------|------------------------------------------------------------------------------|
| MDH56QCC9LA3AN | DP4401 EX UHF NKP GPS PBE502BEEX ROHS: N/A CE: Yes Country of Origin: N/A |

PRODUCT OPTIONS

| | |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| Band Split | UHF |
| Display & Keypad Type | Non-Display, No Keypad |
| Encryption Type | Basic Privacy, Enhanced Privacy |
| Enhanced Radio Features | Mandown, Third Party Applications |
| Intrinsically Safe | Yes (ATEX) |
| IP Rating | IP64 |
| Number of Channels | 32 |
| Power | 1W |
| Standard Package Includes: | 1 x Radio, Battery, Charger, Antenna, Dust Cover, Belt Clip |
| System Compatibility | Analog Conventional, Digital Conventional, IP Site Connect, Capacity Plus Single, Capacity Plus Multi, Connect Plus, Capacity Max (Optional) |
| Type | Portable |

PROFESSIONAL RADIOS

DP4401 EX

MOTOTRBO™ DP4401 Ex ATEX Portable Two-Way Radio UHF Model

| Model No | Technical Description | Price |
|----------------|-----------------------------------------------------------|------------------|
| MDH56QCC9LA3AN | MOTOTRBO™ DP4401 Ex ATEX Portable Two-Way Radio UHF Model | €1,394.00 |

MANDATORY OPTIONS:

| | Option SKU | Description | Price |
|------------------------------------------|------------|-------------------------------------|---------|
| CLS ANT DP4801EX DP4401EX UHF | QA03238AA | ADD: GPS FOLDED MONOPOLE 403-433 EX | €0.00 |
| | QA03239AA | ADD: GPS FOLDED MONOPOLE 430-470 EX | €0.00 |
| | QA03240AA | ADD: GPS STUBBY ANTENNA 403-433M EX | €0.00 |
| | QA03241AA | ADD: GPS STUBBY ANTENNA 430-470M EX | €0.00 |
| | QA03242AA | ADD: DMR WHIP ANTENNA 403-470MHZ EX | €0.00 |
| CLS CHG DP4801EX DP4401EX | QA03250AA | ADD: IMPRES SUC SMPS-CE UK 230V | €0.00 |
| | QA03251AA | ADD: IMPRES SUC SMPS-CE EU 220/240V | €0.00 |
| | QA03252AA | DEL: CHARGER | -€53.00 |
| CLS MAN DP4801EX DP4401EX | QA03256AA | ADD: DP4X01 EX QUICK REF GUIDE | €3.00 |
| | QA03257AA | DEL: QUICK REFERENCE GUIDE | €0.00 |
| CLS ACC DP4801EX DP4401EX | QA04011AA | ADD: PELTOR INTERFACE/PTT CABLE | €588.00 |
| | QA04012AA | DEL: PELTOR INTERFACE/PTT CABLE | €0.00 |
| PCR SERV OPTION | QA07709AB | STD: 5YR ENHANCED WARRANTY | €0.00 |
| | QA07711AB | ADD: 5YR ENH WARR W REPAIR | €165.00 |
| | QA07712AB | ADD: 5YR ENH WARR W REPAIR/ACC DMG | €275.00 |

PROFESSIONAL RADIOS

DP4401 EX

MOTOTRBO™ DP4401 Ex ATEX Portable Two-Way Radio UHF Bulk Model



This ATEX-certified non-display DMR radio is packed with all the advantages of MOTOTRBO to help keep you connected in the toughest environments.

Threats from explosive gas or combustible dust, on an oil rig or in an open mine, your workers confront them daily. Safe, reliable communication is absolutely critical in such dangerous environments. That's where the power and performance of MOTOTRBO digital portable radio stands out.

The DP4401 Ex ATEX-certified portable delivers unrivaled voice and data communications with integrated GPS plus best-in-class audio that includes Intelligent Audio and customizable voice announcements.

Available in UHF and VHF frequency bands, the DP4401 Ex digital portable two-way radio is easy to use and features up to 32 channel capacity, three programmable buttons, emergency button, mandown and lone worker functions and IP67 specifications for submersibility.

| Model No | Technical Description |
|-----------------|------------------------------------------------------------------------------|
| MDH56QCC9LA3ANB | DP4401 EX UHF NKP GPS PBE502BEEX ROHS: N/A CE: Yes Country of Origin: N/A |

PRODUCT OPTIONS

| | |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------|
| Band Split | UHF |
| Display & Keypad Type | Non-Display, No Keypad |
| Encryption Type | Basic Privacy, Enhanced Privacy |
| Enhanced Radio Features | Mandown, Third Party Applications |
| Intrinsically Safe | Yes (ATEX) |
| IP Rating | IP64 |
| Number of Channels | 32 |
| Power | 1W |
| Standard Package Includes: | 1 x Radio, Battery, Charger, Antenna, Dust Cover, Belt Clip |
| System Compatibility | Analog Conventional, Digital Conventional, IP Site Connect, Capacity Plus Single, Capacity Plus Multi, Connect Plus, Capacity Max (Optional) |
| Type | Portable |

PROFESSIONAL RADIOS

DP4401 EX

MOTOTRBO™ DP4401 Ex ATEX Portable Two-Way Radio UHF Bulk Model

| Model No | Technical Description | Price |
|-----------------|----------------------------------------------------------------|------------------|
| MDH56QCC9LA3ANB | MOTOTRBO™ DP4401 Ex ATEX Portable Two-Way Radio UHF Bulk Model | €1,349.00 |

MANDATORY OPTIONS:

| | Option SKU | Description | Price |
|-------------------------------------------|------------|-------------------------------------|---------|
| CLS ANT DP4801EX DP4401EX UHF | QA03238AA | ADD: GPS FOLDED MONOPOLE 403-433 EX | €0.00 |
| | QA03239AA | ADD: GPS FOLDED MONOPOLE 430-470 EX | €0.00 |
| | QA03240AA | ADD: GPS STUBBY ANTENNA 403-433M EX | €0.00 |
| | QA03241AA | ADD: GPS STUBBY ANTENNA 430-470M EX | €0.00 |
| | QA03242AA | ADD: DMR WHIP ANTENNA 403-470MHZ EX | €0.00 |
| CLS CHG DP4801EX DP4401EX BULK | QA03253AA | ADD: IMPRES SUC SMPS-CE UK 230V | €0.00 |
| | QA03254AA | ADD: IMPRES SUC SMPS-CE EU 220/240V | €0.00 |
| | QA03255AA | DEL: CHARGER | -€53.00 |
| CLS MAN DP4801EX DP4401EX | QA03256AA | ADD: DP4X01 EX QUICK REF GUIDE | €3.00 |
| | QA03257AA | DEL: QUICK REFERENCE GUIDE | €0.00 |
| CLS ACC DP4801EX DP4401EX | QA04011AA | ADD: PELTOR INTERFACE/PTT CABLE | €588.00 |
| | QA04012AA | DEL: PELTOR INTERFACE/PTT CABLE | €0.00 |
| PCR SERV OPTION | QA07709AB | STD: 5YR ENHANCED WARRANTY | €0.00 |
| | QA07711AB | ADD: 5YR ENH WARR W REPAIR | €165.00 |
| | QA07712AB | ADD: 5YR ENH WARR W REPAIR/ACC DMG | €275.00 |

PROFESSIONAL RADIOS

DP4401 EX ACCESSORIES

REPAIR-PARTS



Dust Cover Assembly

DUST COVER ASSEMBLY

Model No: 15012157001

Description: U_DUST COVER ASSEMBLY

ROHS: Yes **CE:** N/A **Country of Origin:** N/A

Price: €11.25

| | |
|-------------------------|-------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |



Portable Programming Cable

PORTABLE PROGRAMMING CABLE

Model No: PMKN4012B

Description: PORTABLE PROGRAMMING CABLE

ROHS: Yes **CE:** Yes **Country of Origin:** CN

Price: €79.00

| | |
|-------------------------|-------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Cable Type | Programming |

PROFESSIONAL RADIOS

DP4401 EX ACCESSORIES

CHARGERS


CBL,GB
Model No: 3004209T02

Description: CBL,GB

ROHS: Yes **CE:** Yes

Country of Origin: CN

Price: €16.00

| | |
|---------------------------|-------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| Plug Type | UK/HK |
| Power Source | N/A |
| Technology | Line cord |
| Type | Charger component |


Wall Mount Bracket

This bracket is used to mount your multi-unit charger on the wall.

Model No: BR000272A01

Description: BRACKET, WALL MOUNT, 6WAY MAINTENANCE MUC

ROHS: Yes **CE:** N/A

Country of Origin: MY

Price: €74.00

| | |
|-----------------------------|------------------------|
| Weight (KG-Kilogram) | 2.2 |
| Dimensions (IN-Inch) | 16 (W) 6.8 (H) 8.5 (L) |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| Plug Type | N/A |
| Power Source | N/A |
| Technology | Mounting component(s) |
| Type | Charger component |


IMPRES Compatible Vehicular Charger

This IMPRES vehicular charger has full IMPRES charger-to-battery communication capability to optimize the life of your battery.

Model No: NNTN7616D

Description: CHR IMP VEH EXT EU

ROHS: Yes **CE:** Yes

Country of Origin: MX

Price: €737.00

| | |
|-----------------------------|--------------------------|
| Weight (-) | - |
| Dimensions (IN-Inch) | 3.5 (W) 5.25 (H) 3.5 (L) |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| Plug Type | N/A |
| Power Source | Vehicle power hardware |
| Technology | IMPRES™ |
| Type | Vehicular charger kit |


Single unit charger with Euro power supply

Rapid rate charger with LED to indicate charge status, comes with Euro specification power supply and cord

Model No: NNTN8273A

Description: ACCESSORY KIT,CHARGER STD SUC W/ POWER SUPPLY, SWITCH-MODE-21W, EURO

ROHS: Yes **CE:** Yes

Country of Origin: N/A

Price: €80.00

| | |
|-----------------------------------|------------------------|
| Weight (GM-Gram) | 165 |
| Dimensions (MM-Millimeter) | 114 (W) 26 (H) 115 (L) |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| Plug Type | EURO |
| Power Source | N/A |
| Technology | Motorola original |
| Type | Single unit charger |



Core Single Unit Charger (UK)

Rapid rate standard charger for non-IMPRES MOTOTRBO batteries. Note that if IMPRES batteries are charged in a non-IMPRES charger, additional six month warranty is voided.

Model No: NNTN8274A

Description: ACCESSORY KIT,CHARGER STD SUC W/ POWER SUPPLY, SWITCH-MODE-21W, UK/HONG KONG

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €80.00

| | |
|-----------------------------------|------------------------|
| Weight (GM-Gram) | 165 |
| Dimensions (MM-Millimeter) | 114 (W) 26 (H) 115 (L) |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| Plug Type | UK/HK |
| Power Source | N/A |
| Technology | Motorola original |
| Type | Single unit charger |



Vehicular Travel Charger Adapter With Mounting Base and Coil Cord

Model No: NNTN8525A

Description: CHARGER TRAVEL

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €207.00

| | |
|-----------------------------------|-----------------------|
| Weight (GM-Gram) | 160 |
| Dimensions (MM-Millimeter) | 57 (W) 63 (H) 67 (L) |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| Plug Type | N/A |
| Power Source | Vehicle power outlet |
| Technology | Motorola original |
| Type | Vehicular charger kit |



IMPRES™ 2 Multi-Unit Charger, Base Only

Model No: PMPN4283A

Description: CHARGER DESKTOP MULTI-UNIT IMPRES 2 1 DISPLAY EXT PS 100-240VAC

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €791.00

| | |
|-----------------------------------|------------------------|
| Weight (GM-Gram) | 2200 |
| Dimensions (MM-Millimeter) | 95 (W) 116 (H) 445 (L) |
| Number of Displays | 1 |
| Number of Pockets | 6 |
| Plug Type | N/A |
| Power Source | N/A |
| Technology | IMPRES™ 2 |
| Type | Charger base |



CHARGER DESKTOP MULTI-UNIT IMPRES 2 1 DISPLAY EXT PS 100-240VAC

Model No: PMPN4283B

Description: CHARGER DESKTOP MULTI-UNIT IMPRES 2 1 DISPLAY EXT PS 100-240VAC

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €791.00

| | |
|---------------------------|-------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Number of Displays | 1 |
| Number of Pockets | 6 |
| Plug Type | N/A |
| Power Source | 100-240 VAC |
| Technology | IMPRES™ |
| Type | Charger base |



IMPRES™ 2 Multi-Unit Charger, w/Power Supply US

Simultaneously charges up to 6 batteries or devices with IMPRES(TM) extended service life algorithms. Includes one display to view battery information. Built in USB interface for charger firmware upgrades and connectivity to Fleet Management application. See below for compatible solutions and field service items.

Model No: PMPN4284A

Description: CHARGER DESKTOP MULTI-UNIT IMPRES 2 1 DISPLAY EXT PS 100-240VAC US/NA

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €823.00

| | |
|-----------------------------------|------------------------|
| Weight (GM-Gram) | 2200 |
| Dimensions (MM-Millimeter) | 95 (W) 116 (H) 445 (L) |
| Number of Displays | 1 |
| Number of Pockets | 6 |
| Plug Type | US |
| Power Source | N/A |
| Technology | IMPRES™ 2 |
| Type | Multi unit charger |

**IMPRES™ 2 Multi-Unit Charger, w/Power Supply EU**

Compatible with XPR and DP series radios, this MOTOTRBO charger is an IMPRES 2 multi-unit fast charger with 1 display, EURO plug.

Model No: PMPN4289A

Description: CHARGER DESKTOP MULTI-UNIT IMPRES 2 1 DISPLAY EXT PS 100-240VAC EU

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €823.00

| | |
|-----------------------------------|------------------------|
| Weight (GM-Gram) | 2200 |
| Dimensions (MM-Millimeter) | 95 (W) 116 (H) 445 (L) |
| Number of Displays | 1 |
| Number of Pockets | 6 |
| Plug Type | EURO |
| Power Source | N/A |
| Technology | IMPRES™ 2 |
| Type | Multi unit charger |

**CHARGER DESKTOP MULTI-UNIT IMPRES 2 1 DISPLAY EXT PS 100 - 240VAC EU**

Model No: PMPN4289B

Description: CHARGER DESKTOP MULTI-UNIT IMPRES 2 1 DISPLAY EXT PS 100 - 240VAC EU

ROHS: Yes **CE:** Yes **Country of Origin:** N/A

Price: €823.00

| | |
|---------------------------|--------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Number of Displays | 1 |
| Number of Pockets | 6 |
| Plug Type | EURO |
| Power Source | 100-240 VAC |
| Technology | IMPRES™ |
| Type | Multi unit charger |

**IMPRES™ 2 Multi-Unit Charger, w/Power Supply UK/HK**

Model No: PMPN4290A

Description: CHARGER DESKTOP MULTI-UNIT IMPRES 2 1 DISPLAY EXT PS 100-240VAC UK/HK

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €823.00

| | |
|-----------------------------------|------------------------|
| Weight (GM-Gram) | 2200 |
| Dimensions (MM-Millimeter) | 95 (W) 116 (H) 445 (L) |
| Number of Displays | 1 |
| Number of Pockets | 6 |
| Plug Type | UK/HK |
| Power Source | N/A |
| Technology | IMPRES™ 2 |
| Type | Multi unit charger |

**CHARGER DESKTOP MULTI-UNIT IMPRES 2 1 DISPLAY EXT PS 100 - 240VAC UK/HK**

Model No: PMPN4290B

Description: CHARGER DESKTOP MULTI-UNIT IMPRES 2 1 DISPLAY EXT PS 100 - 240VAC UK/HK

ROHS: Yes **CE:** Yes **Country of Origin:** N/A

Price: €823.00

| | |
|---------------------------|--------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Number of Displays | 1 |
| Number of Pockets | 6 |
| Plug Type | UK/HK |
| Power Source | N/A |
| Technology | IMPRES™ 2 |
| Type | Multi unit charger |

**IMPRES™ Single Unit Charger, Base Only**

The IMPRES™ single-unit charger offers extended talk time, thanks to optimized battery life and reliable IMPRES technology.

Model No: PMPN4527A

Description: CHARGER,CHGR DESKTOP SINGLE UNIT IMPRES BASE ONLY EXT PS

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €80.00

| | |
|-----------------------------------|----------------------|
| Weight (GM-Gram) | 110 |
| Dimensions (MM-Millimeter) | 94 (W) 51 (H) 88 (L) |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| Plug Type | N/A |
| Power Source | N/A |
| Technology | IMPRES™ |
| Type | Charger base |

**IMPRES™ Single Unit Charger, w/Power Supply UK/HK**

The IMPRES™ single-unit charger offers extended talk time, thanks to optimized battery life and reliable IMPRES technology.

Model No: PMPN4572A

Description: CHARGER,CHGR DESKTOP SINGLE UNIT IMPRES EXT PS UK/HK

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €96.00

| | |
|-----------------------------------|----------------------|
| Weight (GM-Gram) | 110 |
| Dimensions (MM-Millimeter) | 94 (W) 51 (H) 88 (L) |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| Plug Type | UK/HK |
| Power Source | N/A |
| Technology | IMPRES™ |
| Type | Single unit charger |

**IMPRES™ Single Unit Charger w/Power Supply, North America plug**

The IMPRES™ single-unit charger offers extended talk time, thanks to optimized battery life and reliable IMPRES technology.

Model No: PMPN4576A

Description: CHARGER,CHGR DESKTOP SINGLE UNIT IMPRES EXT PS US/NA/TW

ROHS: Yes **CE:** Yes **Country of Origin:** N/A

Price: €96.00

| | |
|-----------------------------------|----------------------|
| Weight (GM-Gram) | 110 |
| Dimensions (MM-Millimeter) | 94 (W) 51 (H) 88 (L) |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| Plug Type | US/NA |
| Power Source | N/A |
| Technology | IMPRES™ |
| Type | Single unit charger |

**IMPRES™ Single Unit Charger, w/Power Supply EU**

The IMPRES™ single-unit charger offers extended talk time, thanks to optimized battery life and reliable IMPRES technology.

Model No: PMPN4577A

Description: CHARGER,CHGR DESKTOP SINGLE UNIT IMPRES EXT PS EU

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €96.00

| | |
|-----------------------------------|----------------------|
| Weight (GM-Gram) | 110 |
| Dimensions (MM-Millimeter) | 94 (W) 51 (H) 88 (L) |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| Plug Type | EURO |
| Power Source | N/A |
| Technology | IMPRES™ |
| Type | Single unit charger |

PROFESSIONAL RADIOS

DP4401 EX ACCESSORIES

CABLESMISC



Micro-USB Data Cable for fleet management and programming

Model No: CB000458A07

Description: CABLE, DATA,CABLE, DATA,USB CABLE, 1300MM, FERRITE CHOKE, COLLABORATIVE MUC

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €22.00

| | |
|-------------------------|-------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Cable Type | Data |

PROFESSIONAL RADIOS

DP4401 EX ACCESSORIES

LEGACY



5 Year Repair uplift from Enhanced Warranty for Specialist tier MOTOTRBO devices

Enhances the 5 Year Enhanced Warranty for Specialist tier MOTOTRBO devices to include Hardware Repair with one way shipping for the full term

Model No: GMLN5575A

Description: 5YR REP FOR ENH WARRANTY DEVICE SPEC

ROHS: N/A **CE:** N/A **Country of Origin:** N/A

Price: €165.00

| | |
|-------------------------|-------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |



5 Year Repair with Accidental Damage uplift from Enhanced Warranty for Specialist tier MOTOTRBO devices

Enhances the 5 Year Enhanced Warranty for Specialist tier MOTOTRBO devices to include Hardware Repair with Accidental Damage and twoway shipping for the full term

Model No: GMLN5576A

Description: 5YR ACC DAM FOR ENH WARR DEVICE SPEC

ROHS: N/A **CE:** N/A **Country of Origin:** N/A

Price: €275.00

| | |
|-------------------------|-------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |

PROFESSIONAL RADIOS

DP4401 EX ACCESSORIES

HEADSETS



SAVOX ATEX HC-2 HELMET COM HEADSET

Easily mounts into most helmet types, providing best-in-class audio quality and hands-free communications. Use with PMMN4093 or PMLN7257.

Model No: GMMN4580A

Description: AUDIO ACCESSORY-HEADSET,SAVOX ATEX HC-2 HELMET COM

ROHS: Yes **CE:** Yes **Country of Origin:** FI

Price: €463.50

| | |
|--------------------------------|---------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Connector Type | Nexus |
| Earpiece Style | Dual-muff |
| Headset Type | Helmet attached |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | ATEX/IECEX |
| Microphone | Embedded microphone |
| Noise Reduction Rating | N/A |
| Technology | Motorola original |
| PTT | Requires RSM |



ATEX Audio Adapter

ATEX audio adaptor with Molex jack for use with DP ATEX Series

Model No: PMLN6047A

Description: AUDIO ADAPTER WITH MOLEX JACK

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €223.00

| | |
|--------------------------------|--------------------------|
| Weight (-) | - |
| Dimensions (IN-Inch) | 0.5 (W) 2.5 (H) 0.88 (L) |
| Connector Type | N/A |
| Earpiece Style | N/A |
| Headset Type | Headset accessories |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | ATEX/IECEX |
| Microphone | N/A |
| Noise Reduction Rating | N/A |
| Technology | N/A |
| PTT | N/A |



PELTOR ATEX Twin Cup Headset with boom mic

Model No: PMLN6333A

Description: TWIN CUP HARDHAT MT HDSET, ATEX

ROHS: Yes **CE:** Yes **Country of Origin:** SE

Price: €816.00

| | |
|--------------------------------|-------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Connector Type | Nexus |
| Earpiece Style | Dual-muff |
| Headset Type | Helmet attached |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | ATEX/IECEX |
| Microphone | Boom mic |
| Noise Reduction Rating | 24 dB |
| Technology | Motorola original |
| PTT | Requires RSM |



Small PTT adapter with Nexus jack

For use with Peltor™ headsets as an alternative to the ANC RSM. Attaches directly to the side connector of the MTP8000Ex Series radios. Compatible with Peltor Headsets PMLN6087, PMLN6092, PMLN6333, PMLN6090 and PMLN6089.

Model No: PMLN6803A

Description: AUDIO ACCESSORY-AUDIO ADAPTER,ATEX SMALL PTT ADAPTER

ROHS: Yes **CE:** Yes **Country of Origin:** SE

Price: €531.00

| | |
|--------------------------------|---------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Connector Type | Direct to radio |
| Earpiece Style | N/A |
| Headset Type | Headset accessories |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | ATEX/IECEX |
| Microphone | N/A |
| Noise Reduction Rating | N/A |
| Technology | N/A |
| PTT | On interface module |



TACTICAL OVER HDBAND HDSET NECK BAND W/ NEXUS,ATEX

Model No: PMLN7535A

Description: TACTICAL OVER HDBAND HDSET NECK BAND W/ NEXUS,ATEX

ROHS: No **CE:** No **Country of Origin:** SE

Price: €944.00

| | |
|--------------------------------|-------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Connector Type | Nexus |
| Earpiece Style | Dual-muff |
| Headset Type | Behind-the-head |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | ATEX/IECEX |
| Microphone | Boom mic |
| Noise Reduction Rating | 23 dB |
| Technology | Tactical |
| PTT | Requires RSM |



SAVOX ATEX HC-1 HEADSET

This is a SAVOX ATEX helmet-com headset for professionals working in hazardous conditions. It easily mounts into most helmet types and provides hands-free communications. It requires a remote push-to-talk unit (RMN5120) or emergency button (RMN5121).

Model No: RMN5123A

Description: SAVOX ATEX HC-1 HEADSET

ROHS: Yes **CE:** Yes **Country of Origin:** FI

Price: €319.50

| | |
|--------------------------------|---------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Connector Type | Nexus |
| Earpiece Style | Single-ear |
| Headset Type | Helmet attached |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | ATEX/IECEX |
| Microphone | Embedded microphone |
| Noise Reduction Rating | N/A |
| Technology | Motorola original |
| PTT | Requires RSM |

PROFESSIONAL RADIOS

DP4401 EX ACCESSORIES

CPSSOFTWARE



IMPRES™ Battery Fleet Management EMEA Entitlement ID (EID)

After ordering the BFM Entitlement ID (EID), you will receive an email with the EID License which will enable you to download the BFM 4.0 software through the MSI internal MYVIEW Portal. Refer to the Ordering and Deployment Guide in the resources section for more details.

Model No: HKVN4037A

Description: EMEA FLEET MANAGEMENT LICENSE KEY

ROHS: N/A **CE:** N/A **Country of Origin:** US

Price: €0.00

| | |
|---------------------------------|-------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Software Delivery | Electronic |
| Software Release Version | N/A |
| Software Type | License |

PROFESSIONAL RADIOS

DP4401 EX ACCESSORIES

BATTERIES



ATEX IMPRES 2075 mAh Li-Ion Battery

Model No: NNTN8359C

Description: BATT IMPRES IECEX/ATEX LIION 2075T

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €340.00

| | |
|--------------------------------|-------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Chemistry | Li-Ion 2075 mAh |
| Intrinsic Safety Rating | ATEX/IECEX |
| IP Rating | IP64 |
| Technology | IMPRES |
| Type | Battery |

PROFESSIONAL RADIOS

DP4401 EX ACCESSORIES

ANTENNAS

GPS Helical Antenna (136-147MHz) Ex

Compatible with the DP 4000 EX series, this MOTOTRBO antenna accessory is a VHF/GPS helical whip antenna for ATEX radio designed for the 136-147 frequency band.

Model No: PMAD4126A

Description: GPS HELICAL ANTENNA (136-147MHZ) EX

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €22.00

GPS Helical Antenna (147-160MHz) Ex

Compatible with DP 4000 EX Series, this MOTOTRBO antenna accessory is VHF/GPS Helical whip antenna for ATEX radio designed for the 147-160 frequency band.

Model No: PMAD4127A

Description: ANTENNA, STAMPED METAL,GPS HELICAL ANTENNA (147-160MHZ) EX

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €22.00

GPS Helical Antenna (160-174MHz) Ex

Compatible with DP 4000 EX Series, this MOTOTRBO antenna accessory is a UHF stubby antenna for ATEX radio designed for the 160-174 frequency band.

Model No: PMAD4128A

Description: GPS HELICAL ANTENNA (160-174MHZ) EX

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €22.00

VHF Stubby Antenna(136-147MHz)Ex

Compatible with the DP 4000 EX series, this MOTOTRBO antenna accessory is a VHF stubby antenna for ATEX radio designed for the 136-247 frequency band.

Model No: PMAD4129A

Description: ANTENNA, STAMPED METAL,VHF STUBBY ANT 11CM(136-147)NON-GPS

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €24.00

| | |
|--------------------------------|------------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Frequency Band | VHF |
| Frequency Range (MHz) | 136-147 MHz |
| Integrated GPS | Yes |
| Intrinsic Safety Rating | N/A |
| Mounting Style | N/A |
| Type | Portable radio antenna |

| | |
|--------------------------------|------------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Frequency Band | VHF |
| Frequency Range (MHz) | 147-160 MHz |
| Integrated GPS | Yes |
| Intrinsic Safety Rating | N/A |
| Mounting Style | N/A |
| Type | Portable radio antenna |

| | |
|--------------------------------|------------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Frequency Band | VHF |
| Frequency Range (MHz) | 160-174 MHz |
| Integrated GPS | Yes |
| Intrinsic Safety Rating | N/A |
| Mounting Style | N/A |
| Type | Portable radio antenna |

| | |
|--------------------------------|------------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Frequency Band | VHF |
| Frequency Range (MHz) | 136-147 MHz |
| Integrated GPS | No |
| Intrinsic Safety Rating | N/A |
| Mounting Style | N/A |
| Type | Portable radio antenna |

VHF Stubby Antenna (ATEX)

VHF stubby antenna for use with ATEX radio (150–155 MHz).

Model No: PMAD4130A

Description: VHF STUBBY ANT 11CM(147-160)NON-GPS

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €24.00

| | |
|--------------------------------|------------------------|
| Weight (-) | - |
| Dimensions (IN-Inch) | - (W) 4.25 (H) 0.5 (L) |
| Frequency Band | VHF |
| Frequency Range (MHz) | 150-155 MHz |
| Integrated GPS | No |
| Intrinsic Safety Rating | N/A |
| Mounting Style | SMA-FEMALE |
| Type | Portable radio antenna |

ANTENNA, STAMPED METAL,VHF STUBBY ANT 11CM(160-174)NON-GPS

Compatible with DP 4000 EX Series, this MOTOTRBO antenna accessory is a VHF stubby antenna for ATEX radio designed for the 160-174 frequency band.

Model No: PMAD4131A

Description: ANTENNA, STAMPED METAL,VHF STUBBY ANT 11CM(160-174)NON-GPS

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €24.00

| | |
|--------------------------------|------------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Frequency Band | VHF |
| Frequency Range (MHz) | 161-174 MHz |
| Integrated GPS | No |
| Intrinsic Safety Rating | N/A |
| Mounting Style | N/A |
| Type | Portable radio antenna |

ATEX VHF Wideband Antenna

Compatible with DP4000 EX series, this MOTOTRBO Antenna is a VHF widebandAntenna for ATEX Radio, designed for the 136-174 frequency band.

Model No: PMAD4132A

Description: ANTENNA, STAMPED METAL,VHF WB 22CM ANT(136-174MHZ) NON-GPS

ROHS: Yes **CE:** Yes **Country of Origin:** CN

Price: €27.00

| | |
|--------------------------------|------------------------|
| Weight (-) | - |
| Dimensions (IN-Inch) | - (W) 8.75 (H) 0.5 (L) |
| Frequency Band | VHF |
| Frequency Range (MHz) | 136-174 MHz |
| Integrated GPS | No |
| Intrinsic Safety Rating | N/A |
| Mounting Style | SMA-FEMALE |
| Type | Portable radio antenna |

UHF Folded Monopole Antenna (403-433MHz) Ex

Compatible with DP 4000 EX seires, this MOTOTRBO antenna accessory is a UHF folded monopole whip antenna for ATEX radio designed for the 403-433 frequency band.

Model No: PMAE4081A

Description: DMR UHF+GPS FOLDED MONOPOLE(403-433)

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €22.00

| | |
|--------------------------------|------------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Frequency Band | UHF |
| Frequency Range (MHz) | 403-433 MHz |
| Integrated GPS | Yes |
| Intrinsic Safety Rating | N/A |
| Mounting Style | N/A |
| Type | Portable radio antenna |

UHF Folded Monopole Whip Antenna (ATEX)

UHF folded monopole whip antenna for use with an ATEX radio (430–470 MHz).

Model No: PMAE4082A

Description: DMR UHF+GPS FOLDED MONOPOLE(430-470)

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €22.00

| | |
|--------------------------------|------------------------|
| Weight (-) | - |
| Dimensions (IN-Inch) | - (W) 5.63 (H) 0.5 (L) |
| Frequency Band | UHF |
| Frequency Range (MHz) | 430-470 MHz |
| Integrated GPS | Yes |
| Intrinsic Safety Rating | N/A |
| Mounting Style | SMA-FEMALE |
| Type | Portable radio antenna |

UHF Stubby Antenna Ex (403-433MHz)

Compatible with DP4000 EX series, this MOTOTRBO antenna is a UHF stubby antenna for ATEX radio, designed for the 403-433 frequency band.

Model No: PMAE4083A

Description: DMR UHF+GPS STUBBY ANTENNA(403-433)

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €22.00

| | |
|--------------------------------|------------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Frequency Band | UHF |
| Frequency Range (MHz) | 403-433 MHz |
| Integrated GPS | Yes |
| Intrinsic Safety Rating | N/A |
| Mounting Style | N/A |
| Type | Portable radio antenna |

UHF Stubby Antenna Ex (430-470MHz)

Compatible with DP4000 EX series, this MOTOTRBO antenna is a UHF stubby antenna for ATEX radio, designed for the 430-470 frequency band.

Model No: PMAE4084A

Description: DMR UHF+GPS STUBBY ANTENNA(430-470)

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €22.00

| | |
|--------------------------------|------------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Frequency Band | UHF |
| Frequency Range (MHz) | 403-470 MHz |
| Integrated GPS | Yes |
| Intrinsic Safety Rating | N/A |
| Mounting Style | N/A |
| Type | Portable radio antenna |

ATEX UHF Wideband Whip Antenna

Compatible with DP4000 EX series, this MOTOTRBO antenna is a UHF wideband whip antenna for ATEX radio, designed for the 403-470 frequency band.

Model No: PMAE4085A

Description: DMR UHF WHIP ANT(403-470MHZ)NON-GPS

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €22.00

| | |
|--------------------------------|------------------------|
| Weight (-) | - |
| Dimensions (IN-Inch) | - (W) 6.38 (H) 0.5 (L) |
| Frequency Band | UHF |
| Frequency Range (MHz) | 403-470 MHz |
| Integrated GPS | No |
| Intrinsic Safety Rating | N/A |
| Mounting Style | SMA-FEMALE |
| Type | Portable radio antenna |

PROFESSIONAL RADIOS

DP4401 EX ACCESSORIES

CARRY



2.5" Swivel Belt Loop

This swivel latch system allows the radio to swing freely from side to side and ensures that the radio remains securely in place during a foot chase.

Model No: PMLN5610A

Description: ACCESSORY KIT,2.5 INCH SWIVEL BELT LOOP

ROHS: Yes **CE:** N/A **Country of Origin:** IN

Price: €12.00

| | |
|----------------------------------------|------------------------|
| Weight (GM-Gram) | 47 |
| Dimensions (IN-Inch) | 1 (W) 3.75 (H) 2.5 (L) |
| Belt Loop / Clip Dimension (in) | 2.5 inch |
| Compatible Batteries | N/A |
| Display | N/A |
| Material | Hard leather |
| Type | Swivel |



ATEX 2.5" Belt Clip

Compatible with DP4000 EX series, this MOTOTRBO carry accessory is a plastic 2.5-inch belt clip for ATEX models.

Model No: PMLN6086A

Description: ATEX BELT CLIP 2.5 INCH

ROHS: Yes **CE:** N/A **Country of Origin:** MY

Price: €11.00

| | |
|----------------------------------------|----------------------------|
| Weight (-) | - |
| Dimensions (IN-Inch) | 0.25 (W) 3.63 (H) 1.25 (L) |
| Belt Loop / Clip Dimension (in) | 2.5 inch |
| Compatible Batteries | N/A |
| Display | N/A |
| Material | Plastic |
| Type | Belt Clip |



Hard Leather Carry Case With 2.5" Swivel Belt Loop

Compatible with DP4000 EX series, this MOTOTRBO carry accessory is a hard leather case with 2.5 inch swivel belt loop for non-display Atex model.

Model No: PMLN6096A

Description: HARD LEATHER CC 2.5INCH SWL PLAIN

ROHS: Yes **CE:** N/A **Country of Origin:** IN

Price: €85.00

| | |
|----------------------------------------|-----------------------|
| Weight (-) | - |
| Dimensions (IN-Inch) | 2 (W) 5.5 (H) 2.5 (L) |
| Belt Loop / Clip Dimension (in) | 2.5 inch |
| Compatible Batteries | N/A |
| Display | No display visible |
| Material | Hard leather |
| Type | Swivel |



Hard Leather Carry Case, Full Keypad

Compatible with DP4000 EX series, this MOTOTRBO carry accessory is a hard leather case with 2.5 inch swivel belt loop for display Atex model.

Model No: PMLN6097A

Description: HARD LEATHER CC 2.5INCH SWL FKP

ROHS: Yes **CE:** N/A **Country of Origin:** IN

Price: €85.00

| | |
|----------------------------------------|----------------------|
| Weight (-) | - |
| Dimensions (IN-Inch) | 2 (W) 6 (H) 2.75 (L) |
| Belt Loop / Clip Dimension (in) | 2.5 inch |
| Compatible Batteries | N/A |
| Display | No display visible |
| Material | Hard leather |
| Type | Swivel |

**Soft Leather Carry Case With 2.5" Swivel**

Soft leather case with 2.5-inch swivel belt loop for DP4801 EX and DP4401 EX non-display models.

Model No: PMLN6098A

Description: SOFT LEATHER CC 2.5INCH SWL PLAIN

ROHS: Yes **CE:** N/A **Country of Origin:** IN

Price: €64.00

| | |
|----------------------------------------|----------------------|
| Weight (-) | - |
| Dimensions (IN-Inch) | 2 (W) 6 (H) 2.38 (L) |
| Belt Loop / Clip Dimension (in) | 2.5 inch |
| Compatible Batteries | N/A |
| Display | No display visible |
| Material | Soft leather |
| Type | Swivel |

**Soft Leather Carry Case With 2.5" Swivel, Full Keypad**

Motorola PMLN6099A is a soft leather case for the full-keypad DP4801Ex ATEX radios.

Model No: PMLN6099A

Description: SOFT LEATHER CC 2.5INCH SWL FKP

ROHS: Yes **CE:** N/A **Country of Origin:** IN

Price: €64.00

| | |
|----------------------------------------|-----------------------|
| Weight (-) | - |
| Dimensions (IN-Inch) | 1.5 (W) 7 (H) 2.5 (L) |
| Belt Loop / Clip Dimension (in) | 2.5 inch |
| Compatible Batteries | N/A |
| Display | No display visible |
| Material | Soft leather |
| Type | Swivel |

PROFESSIONAL RADIOS

DP4401 EX ACCESSORIES

EARPIECES



Receive only Earpiece with Translucent Tube and Eartip

Earpiece with clear comfort tube, 3.5mm, ATEX.

Model No: PMLN7188B

Description: AUDIO ACCESSORY-EARPIECE,ENH ATEX
3.5MM EARPIECE W/TRAN TUBE

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €69.00

| | |
|--------------------------------|------------------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Earpiece Type | RSM 3.5mm unthreaded rx only |
| Industry | N/A |
| Intrinsic Safety Rating | ATEX/IECEX |
| Microphone | N/A |
| PTT | N/A |

PROFESSIONAL RADIOS

DP4401 EX ACCESSORIES

REMOTESPEAKERMICS


ACCESSORY KIT,IMPRES ATEX NC RSM
Model No: PMMN4094A

Description: ACCESSORY KIT,IMPRES ATEX NC RSM

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €605.00

| | |
|--------------------------------|------------------------------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Channel Control | No |
| Display | No display |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | ATEX/IECEX |
| IP Rating | IP67 |
| Microphone Type | Noise-canceling |
| Programmable Button | Orange emergency and programmable button |
| Technology | IMPRES |
| Volume Control | Yes |
| Audiobuchse | 3.5mm non-threaded |


ACCESSORY KIT,IMPRES EX OMNI RSM STD CBL/NEX/200
Model No: PMMN4110A

Description: ACCESSORY KIT,IMPRES EX OMNI RSM STD CBL/NEX/200

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €599.00

| | |
|--------------------------------|------------------------------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Channel Control | No |
| Display | No display |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | ATEX/IECEX |
| IP Rating | IP67 |
| Microphone Type | Windporting |
| Programmable Button | Orange emergency and programmable button |
| Technology | IMPRES |
| Volume Control | Yes |
| Audiobuchse | Nexus and 3.5mm locking |

PROFESSIONAL RADIOS

DP4801 EX

MOTOTRBO™ DP4801 Ex ATEX Portable Two-Way Radio VHF Model



ATEX-certified for use in potentially explosive environments, DP4801 Ex features best-in-class audio, full keypad and 5-line colour display.

Threats from explosive gas or combustible dust, on an oil rig or in an open mine, your workers confront them daily. Safe, reliable communication is absolutely critical in such dangerous environments. That's where the power and performance of MOTOTRBO digital radio stands out.

The fully-featured DP4801 Ex ATEX certified portable radio delivers unrivalled voice and data communications with integrated GPS, text messaging, full-colour display with day/night mode to make reading text messages easier and best-in-class audio that includes Intelligent Audio and customizable voice announcements.

Available in UHF and VHF frequency bands, the DP4801 Ex features a 5-line display, full keypad, up to 1,000 channel capacity, five programmable buttons, emergency button, man down and lone worker functions and IP67 rating for submersibility.

| Model No | Technical Description |
|----------------|-----------------------------------------------------------------------------------|
| MDH56JCN9PA3AN | DP4801 EX VHF FKP GPS GOB PBE302HEGEX ROHS: N/A CE: Yes Country of Origin: N/A |

PRODUCT OPTIONS

| | |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| Band Split | VHF |
| Display & Keypad Type | Display,Full Keypad |
| Encryption Type | Basic Privacy,Enhanced Privacy |
| Enhanced Radio Features | Mandown,Third Party Applications |
| Intrinsically Safe | Yes (ATEX) |
| IP Rating | IP64 |
| Number of Channels | 1000 |
| Power | 1W |
| Standard Package Includes: | 1 x Radio,Battery,Charger,Antenna,Dust Cover,Belt Clip |
| System Compatibility | Analog Conventional,Digital Conventional,IP Site Connect,Capacity Plus Single,Capacity Plus Multi,Connect Plus,Capacity Max (Optional) |
| Type | Portable |

PROFESSIONAL RADIOS

DP4801 EX

MOTOTRBO™ DP4801 Ex ATEX Portable Two-Way Radio VHF Model

| Model No | Technical Description | Price |
|----------------|-----------------------------------------------------------|------------------|
| MDH56JCN9PA3AN | MOTOTRBO™ DP4801 Ex ATEX Portable Two-Way Radio VHF Model | €1,756.00 |

MANDATORY OPTIONS:

| | Option SKU | Description | Price |
|------------------------------------------|------------|--------------------------------------|---------|
| CLS ANT DP4801EX DP4401EX VHF | QA03243AA | ADD: GPS HELICAL ANTENNA 136-147M EX | €0.00 |
| | QA03244AA | ADD: GPS HELICAL ANTENNA 147-160M EX | €0.00 |
| | QA03245AA | ADD: GPS HELICAL ANTENNA 160-174M EX | €0.00 |
| | QA03246AA | ADD: STUBBY ANTENNA 11CM 136-147M EX | €0.00 |
| | QA03247AA | ADD: STUBBY ANTENNA 11CM 147-160M EX | €0.00 |
| | QA03248AA | ADD: STUBBY ANTENNA 11CM 160-174M EX | €0.00 |
| | QA03249AA | ADD: WIDEBAND ANTENNA 136-174M EX | €0.00 |
| CLS CHG DP4801EX DP4401EX | QA03250AA | ADD: IMPRES SUC SMPS-CE UK 230V | €0.00 |
| | QA03251AA | ADD: IMPRES SUC SMPS-CE EU 220/240V | €0.00 |
| | QA03252AA | DEL: CHARGER | -€53.00 |
| CLS MAN DP4801EX DP4401EX | QA03256AA | ADD: DP4X01 EX QUICK REF GUIDE | €3.00 |
| | QA03257AA | DEL: QUICK REFERENCE GUIDE | €0.00 |
| CLS ACC DP4801EX DP4401EX | QA04011AA | ADD: PELTOR INTERFACE/PTT CABLE | €588.00 |
| | QA04012AA | DEL: PELTOR INTERFACE/PTT CABLE | €0.00 |
| CLS RAD DP4801EX VHF | QA04262AA | ADD: ROMAN KEYPAD (GOB) | €0.00 |
| | QA04317AA | ADD: ROMAN KEYPAD (MPT1327) | €23.00 |
| PCR SERV OPTION | QA07709AB | STD: 5YR ENHANCED WARRANTY | €0.00 |
| | QA07711AB | ADD: 5YR ENH WARR W REPAIR | €165.00 |
| | QA07712AB | ADD: 5YR ENH WARR W REPAIR/ACC DMG | €275.00 |

PROFESSIONAL RADIOS

DP4801 EX

MOTOTRBO™ DP4801 Ex ATEX Portable Two-Way Radio VHF Bulk Model



ATEX-certified for use in potentially explosive environments, DP4801 Ex features best-in-class audio, full keypad and 5-line colour display.

Threats from explosive gas or combustible dust, on an oil rig or in an open mine, your workers confront them daily. Safe, reliable communication is absolutely critical in such dangerous environments. That's where the power and performance of MOTOTRBO digital radio stands out.

The fully-featured DP4801 Ex ATEX certified portable radio delivers unrivalled voice and data communications with integrated GPS, text messaging, full-colour display with day/night mode to make reading text messages easier and best-in-class audio that includes Intelligent Audio and customizable voice announcements.

Available in UHF and VHF frequency bands, the DP4801 Ex features a 5-line display, full keypad, up to 1,000 channel capacity, five programmable buttons, emergency button, man down and lone worker functions and IP67 rating for submersibility.

| Model No | Technical Description |
|-----------------|----------------------------------------------------------------------------------|
| MDH56JCN9PA3ANB | DP4801 EX VHF FKP GPS GOB PBE302HEGEX ROHS: N/A CE: Yes Country of Origin: MY |

PRODUCT OPTIONS

| | |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| Band Split | VHF |
| Display & Keypad Type | Display,Full Keypad |
| Encryption Type | Basic Privacy,Enhanced Privacy |
| Enhanced Radio Features | Mandown,Third Party Applications |
| Intrinsically Safe | Yes (ATEX) |
| IP Rating | IP64 |
| Number of Channels | 1000 |
| Power | 1W |
| Standard Package Includes: | 1 x Radio,Battery,Charger,Antenna,Dust Cover,Belt Clip |
| System Compatibility | Analog Conventional,Digital Conventional,IP Site Connect,Capacity Plus Single,Capacity Plus Multi,Connect Plus,Capacity Max (Optional) |
| Type | Portable |

PROFESSIONAL RADIOS

DP4801 EX

MOTOTRBO™ DP4801 Ex ATEX Portable Two-Way Radio VHF Bulk Model

| Model No | Technical Description | Price |
|-----------------|----------------------------------------------------------------|------------------|
| MDH56JCN9PA3ANB | MOTOTRBO™ DP4801 Ex ATEX Portable Two-Way Radio VHF Bulk Model | €1,702.00 |

MANDATORY OPTIONS:

| | Option SKU | Description | Price |
|-------------------------------------------|------------|--------------------------------------|---------|
| CLS ANT DP4801EX DP4401EX VHF | QA03243AA | ADD: GPS HELICAL ANTENNA 136-147M EX | €0.00 |
| | QA03244AA | ADD: GPS HELICAL ANTENNA 147-160M EX | €0.00 |
| | QA03245AA | ADD: GPS HELICAL ANTENNA 160-174M EX | €0.00 |
| | QA03246AA | ADD: STUBBY ANTENNA 11CM 136-147M EX | €0.00 |
| | QA03247AA | ADD: STUBBY ANTENNA 11CM 147-160M EX | €0.00 |
| | QA03248AA | ADD: STUBBY ANTENNA 11CM 160-174M EX | €0.00 |
| | QA03249AA | ADD: WIDEBAND ANTENNA 136-174M EX | €0.00 |
| CLS CHG DP4801EX DP4401EX BULK | QA03253AA | ADD: IMPRES SUC SMPS-CE UK 230V | €0.00 |
| | QA03254AA | ADD: IMPRES SUC SMPS-CE EU 220/240V | €0.00 |
| | QA03255AA | DEL: CHARGER | -€53.00 |
| CLS MAN DP4801EX DP4401EX | QA03256AA | ADD: DP4X01 EX QUICK REF GUIDE | €3.00 |
| | QA03257AA | DEL: QUICK REFERENCE GUIDE | €0.00 |
| CLS ACC DP4801EX DP4401EX | QA04011AA | ADD: PELTOR INTERFACE/PTT CABLE | €588.00 |
| | QA04012AA | DEL: PELTOR INTERFACE/PTT CABLE | €0.00 |
| CLS RAD DP4801EX VHF | QA04262AA | ADD: ROMAN KEYPAD (GOB) | €0.00 |
| | QA04317AA | ADD: ROMAN KEYPAD (MPT1327) | €23.00 |
| PCR SERV OPTION | QA07709AB | STD: 5YR ENHANCED WARRANTY | €0.00 |
| | QA07711AB | ADD: 5YR ENH WARR W REPAIR | €165.00 |
| | QA07712AB | ADD: 5YR ENH WARR W REPAIR/ACC DMG | €275.00 |

PROFESSIONAL RADIOS

DP4801 EX

MOTOTRBO™ DP4801 Ex ATEX Portable Two-Way Radio UHF Model



ATEX-certified for use in potentially explosive environments, DP4801 Ex features best-in-class audio, full keypad and 5-line colour display.

Threats from explosive gas or combustible dust, on an oil rig or in an open mine, your workers confront them daily. Safe, reliable communication is absolutely critical in such dangerous environments. That's where the power and performance of MOTOTRBO digital radio stands out.

The fully-featured DP4801 Ex ATEX certified portable radio delivers unrivalled voice and data communications with integrated GPS, text messaging, full-colour display with day/night mode to make reading text messages easier and best-in-class audio that includes Intelligent Audio and customizable voice announcements.

Available in UHF and VHF frequency bands, the DP4801 Ex features a 5-line display, full keypad, up to 1,000 channel capacity, five programmable buttons, emergency button, man down and lone worker functions and IP67 rating for submersibility.

| Model No | Technical Description |
|----------------|-----------------------------------------------------------------------------------|
| MDH56QCN9PA3AN | DP4801 EX UHF FKP GPS GOB PBE502HEGEX ROHS: N/A CE: Yes Country of Origin: N/A |

PRODUCT OPTIONS

| | |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| Band Split | UHF |
| Display & Keypad Type | Display,Full Keypad |
| Encryption Type | Basic Privacy,Enhanced Privacy |
| Enhanced Radio Features | Mandown,Third Party Applications |
| Intrinsically Safe | Yes (ATEX) |
| IP Rating | IP64 |
| Number of Channels | 1000 |
| Power | 1W |
| Standard Package Includes: | 1 x Radio,Battery,Charger,Antenna,Dust Cover,Belt Clip |
| System Compatibility | Analog Conventional,Digital Conventional,IP Site Connect,Capacity Plus Single,Capacity Plus Multi,Connect Plus,Capacity Max (Optional) |
| Type | Portable |

PROFESSIONAL RADIOS

DP4801 EX

MOTOTRBO™ DP4801 Ex ATEX Portable Two-Way Radio UHF Model

| Model No | Technical Description | Price |
|----------------|-----------------------------------------------------------|------------------|
| MDH56QCN9PA3AN | MOTOTRBO™ DP4801 Ex ATEX Portable Two-Way Radio UHF Model | €1,756.00 |

MANDATORY OPTIONS:

| | Option SKU | Description | Price |
|------------------------------------------|------------|-------------------------------------|---------|
| CLS ANT DP4801EX DP4401EX UHF | QA03238AA | ADD: GPS FOLDED MONOPOLE 403-433 EX | €0.00 |
| | QA03239AA | ADD: GPS FOLDED MONOPOLE 430-470 EX | €0.00 |
| | QA03240AA | ADD: GPS STUBBY ANTENNA 403-433M EX | €0.00 |
| | QA03241AA | ADD: GPS STUBBY ANTENNA 430-470M EX | €0.00 |
| | QA03242AA | ADD: DMR WHIP ANTENNA 403-470MHZ EX | €0.00 |
| CLS CHG DP4801EX DP4401EX | QA03250AA | ADD: IMPRES SUC SMPS-CE UK 230V | €0.00 |
| | QA03251AA | ADD: IMPRES SUC SMPS-CE EU 220/240V | €0.00 |
| | QA03252AA | DEL: CHARGER | -€53.00 |
| CLS MAN DP4801EX DP4401EX | QA03256AA | ADD: DP4X01 EX QUICK REF GUIDE | €3.00 |
| | QA03257AA | DEL: QUICK REFERENCE GUIDE | €0.00 |
| CLS ACC DP4801EX DP4401EX | QA04011AA | ADD: PELTOR INTERFACE/PTT CABLE | €588.00 |
| | QA04012AA | DEL: PELTOR INTERFACE/PTT CABLE | €0.00 |
| CLS RAD DP4801EX UHF | QA04260AA | ADD: ROMAN KEYPAD (GOB) | €0.00 |
| | QA04316AA | ADD: ROMAN KEYPAD (MPT1327) | €23.00 |
| PCR SERV OPTION | QA07709AB | STD: 5YR ENHANCED WARRANTY | €0.00 |
| | QA07711AB | ADD: 5YR ENH WARR W REPAIR | €165.00 |
| | QA07712AB | ADD: 5YR ENH WARR W REPAIR/ACC DMG | €275.00 |

PROFESSIONAL RADIOS

DP4801 EX

MOTOTRBO™ DP4801 Ex ATEX Portable Two-Way Radio UHF Bulk Model



ATEX-certified for use in potentially explosive environments, DP4801 Ex features best-in-class audio, full keypad and 5-line colour display.

Threats from explosive gas or combustible dust, on an oil rig or in an open mine, your workers confront them daily. Safe, reliable communication is absolutely critical in such dangerous environments. That's where the power and performance of MOTOTRBO digital radio stands out.

The fully-featured DP4801 Ex ATEX certified portable radio delivers unrivalled voice and data communications with integrated GPS, text messaging, full-colour display with day/night mode to make reading text messages easier and best-in-class audio that includes Intelligent Audio and customizable voice announcements.

Available in UHF and VHF frequency bands, the DP4801 Ex features a 5-line display, full keypad, up to 1,000 channel capacity, five programmable buttons, emergency button, man down and lone worker functions and IP67 rating for submersibility.

| Model No | Technical Description |
|-----------------|-----------------------------------------------------------------------------------|
| MDH56QCN9PA3ANB | DP4801 EX UHF FKP GPS GOB PBE502HEGEX ROHS: N/A CE: Yes Country of Origin: N/A |

PRODUCT OPTIONS

| | |
|----------------------------|----------------------------------------------------------------------------------------------------------------------------------------|
| Band Split | UHF |
| Display & Keypad Type | Display,Full Keypad |
| Encryption Type | Basic Privacy,Enhanced Privacy |
| Enhanced Radio Features | Mandown,Third Party Applications |
| Intrinsically Safe | Yes (ATEX) |
| IP Rating | IP64 |
| Number of Channels | 1000 |
| Power | 1W |
| Standard Package Includes: | 1 x Radio,Battery,Charger,Antenna,Dust Cover,Belt Clip |
| System Compatibility | Analog Conventional,Digital Conventional,IP Site Connect,Capacity Plus Single,Capacity Plus Multi,Connect Plus,Capacity Max (Optional) |
| Type | Portable |

PROFESSIONAL RADIOS

DP4801 EX

MOTOTRBO™ DP4801 Ex ATEX Portable Two-Way Radio UHF Bulk Model

| Model No | Technical Description | Price |
|-----------------|----------------------------------------------------------------|------------------|
| MDH56QCN9PA3ANB | MOTOTRBO™ DP4801 Ex ATEX Portable Two-Way Radio UHF Bulk Model | €1,702.00 |

MANDATORY OPTIONS:

| | Option SKU | Description | Price |
|-------------------------------------------|------------|-------------------------------------|---------|
| CLS ANT DP4801EX DP4401EX UHF | QA03238AA | ADD: GPS FOLDED MONOPOLE 403-433 EX | €0.00 |
| | QA03239AA | ADD: GPS FOLDED MONOPOLE 430-470 EX | €0.00 |
| | QA03240AA | ADD: GPS STUBBY ANTENNA 403-433M EX | €0.00 |
| | QA03241AA | ADD: GPS STUBBY ANTENNA 430-470M EX | €0.00 |
| | QA03242AA | ADD: DMR WHIP ANTENNA 403-470MHZ EX | €0.00 |
| CLS CHG DP4801EX DP4401EX BULK | QA03253AA | ADD: IMPRES SUC SMPS-CE UK 230V | €0.00 |
| | QA03254AA | ADD: IMPRES SUC SMPS-CE EU 220/240V | €0.00 |
| | QA03255AA | DEL: CHARGER | -€53.00 |
| CLS MAN DP4801EX DP4401EX | QA03256AA | ADD: DP4X01 EX QUICK REF GUIDE | €3.00 |
| | QA03257AA | DEL: QUICK REFERENCE GUIDE | €0.00 |
| CLS ACC DP4801EX DP4401EX | QA04011AA | ADD: PELTOR INTERFACE/PTT CABLE | €588.00 |
| | QA04012AA | DEL: PELTOR INTERFACE/PTT CABLE | €0.00 |
| CLS RAD DP4801EX UHF | QA04260AA | ADD: ROMAN KEYPAD (GOB) | €0.00 |
| | QA04316AA | ADD: ROMAN KEYPAD (MPT1327) | €23.00 |
| PCR SERV OPTION | QA07709AB | STD: 5YR ENHANCED WARRANTY | €0.00 |
| | QA07711AB | ADD: 5YR ENH WARR W REPAIR | €165.00 |
| | QA07712AB | ADD: 5YR ENH WARR W REPAIR/ACC DMG | €275.00 |

PROFESSIONAL RADIOS

DP4801 EX ACCESSORIES

REPAIR-PARTS



Dust Cover Assembly

DUST COVER ASSEMBLY

Model No: 15012157001

Description: U_DUST COVER ASSEMBLY

ROHS: Yes **CE:** N/A **Country of Origin:** N/A

Price: €11.25

| | |
|-------------------------|-------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |



Portable Programming Cable

PORTABLE PROGRAMMING CABLE

Model No: PMKN4012B

Description: PORTABLE PROGRAMMING CABLE

ROHS: Yes **CE:** Yes **Country of Origin:** CN

Price: €79.00

| | |
|-------------------------|-------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Cable Type | Programming |

PROFESSIONAL RADIOS

DP4801 EX ACCESSORIES

CHARGERS


CBL,GB
Model No: 3004209T02

Description: CBL,GB

ROHS: Yes **CE:** Yes

Country of Origin: CN

Price: €16.00

| | |
|---------------------------|-------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| Plug Type | UK/HK |
| Power Source | N/A |
| Technology | Line cord |
| Type | Charger component |


Wall Mount Bracket

This bracket is used to mount your multi-unit charger on the wall.

Model No: BR000272A01

Description: BRACKET, WALL MOUNT, 6WAY MAINTENANCE MUC

ROHS: Yes **CE:** N/A

Country of Origin: MY

Price: €74.00

| | |
|-----------------------------|------------------------|
| Weight (KG-Kilogram) | 2.2 |
| Dimensions (IN-Inch) | 16 (W) 6.8 (H) 8.5 (L) |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| Plug Type | N/A |
| Power Source | N/A |
| Technology | Mounting component(s) |
| Type | Charger component |


IMPRES Compatible Vehicular Charger

This IMPRES vehicular charger has full IMPRES charger-to-battery communication capability to optimize the life of your battery.

Model No: NNTN7616D

Description: CHR IMP VEH EXT EU

ROHS: Yes **CE:** Yes

Country of Origin: MX

Price: €737.00

| | |
|-----------------------------|--------------------------|
| Weight (-) | - |
| Dimensions (IN-Inch) | 3.5 (W) 5.25 (H) 3.5 (L) |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| Plug Type | N/A |
| Power Source | Vehicle power hardware |
| Technology | IMPRES™ |
| Type | Vehicular charger kit |


Single unit charger with Euro power supply

Rapid rate charger with LED to indicate charge status, comes with Euro specification power supply and cord

Model No: NNTN8273A

Description: ACCESSORY KIT,CHARGER STD SUC W/ POWER SUPPLY, SWITCH-MODE-21W, EURO

ROHS: Yes **CE:** Yes

Country of Origin: N/A

Price: €80.00

| | |
|-----------------------------------|------------------------|
| Weight (GM-Gram) | 165 |
| Dimensions (MM-Millimeter) | 114 (W) 26 (H) 115 (L) |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| Plug Type | EURO |
| Power Source | N/A |
| Technology | Motorola original |
| Type | Single unit charger |



Core Single Unit Charger (UK)

Rapid rate standard charger for non-IMPRES MOTOTRBO batteries. Note that if IMPRES batteries are charged in a non-IMPRES charger, additional six month warranty is voided.

Model No: NNTN8274A

Description: ACCESSORY KIT,CHARGER STD SUC W/ POWER SUPPLY, SWITCH-MODE-21W, UK/HONG KONG

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €80.00

| | |
|-----------------------------------|------------------------|
| Weight (GM-Gram) | 165 |
| Dimensions (MM-Millimeter) | 114 (W) 26 (H) 115 (L) |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| Plug Type | UK/HK |
| Power Source | N/A |
| Technology | Motorola original |
| Type | Single unit charger |



Vehicular Travel Charger Adapter With Mounting Base and Coil Cord

Model No: NNTN8525A

Description: CHARGER TRAVEL

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €207.00

| | |
|-----------------------------------|-----------------------|
| Weight (GM-Gram) | 160 |
| Dimensions (MM-Millimeter) | 57 (W) 63 (H) 67 (L) |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| Plug Type | N/A |
| Power Source | Vehicle power outlet |
| Technology | Motorola original |
| Type | Vehicular charger kit |



IMPRES™ 2 Multi-Unit Charger, Base Only

Model No: PMPN4283A

Description: CHARGER DESKTOP MULTI-UNIT IMPRES 2 1 DISPLAY EXT PS 100-240VAC

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €791.00

| | |
|-----------------------------------|------------------------|
| Weight (GM-Gram) | 2200 |
| Dimensions (MM-Millimeter) | 95 (W) 116 (H) 445 (L) |
| Number of Displays | 1 |
| Number of Pockets | 6 |
| Plug Type | N/A |
| Power Source | N/A |
| Technology | IMPRES™ 2 |
| Type | Charger base |



CHARGER DESKTOP MULTI-UNIT IMPRES 2 1 DISPLAY EXT PS 100-240VAC

Model No: PMPN4283B

Description: CHARGER DESKTOP MULTI-UNIT IMPRES 2 1 DISPLAY EXT PS 100-240VAC

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €791.00

| | |
|---------------------------|-------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Number of Displays | 1 |
| Number of Pockets | 6 |
| Plug Type | N/A |
| Power Source | 100-240 VAC |
| Technology | IMPRES™ |
| Type | Charger base |



IMPRES™ 2 Multi-Unit Charger, w/Power Supply US

Simultaneously charges up to 6 batteries or devices with IMPRES(TM) extended service life algorithms. Includes one display to view battery information. Built in USB interface for charger firmware upgrades and connectivity to Fleet Management application. See below for compatible solutions and field service items.

Model No: PMPN4284A

Description: CHARGER DESKTOP MULTI-UNIT IMPRES 2 1 DISPLAY EXT PS 100-240VAC US/NA

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €823.00

| | |
|-----------------------------------|------------------------|
| Weight (GM-Gram) | 2200 |
| Dimensions (MM-Millimeter) | 95 (W) 116 (H) 445 (L) |
| Number of Displays | 1 |
| Number of Pockets | 6 |
| Plug Type | US |
| Power Source | N/A |
| Technology | IMPRES™ 2 |
| Type | Multi unit charger |

**IMPRES™ 2 Multi-Unit Charger, w/Power Supply EU**

Compatible with XPR and DP series radios, this MOTOTRBO charger is an IMPRES 2 multi-unit fast charger with 1 display, EURO plug.

Model No: PMPN4289A

Description: CHARGER DESKTOP MULTI-UNIT IMPRES 2 1 DISPLAY EXT PS 100-240VAC EU

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €823.00

| | |
|-----------------------------------|------------------------|
| Weight (GM-Gram) | 2200 |
| Dimensions (MM-Millimeter) | 95 (W) 116 (H) 445 (L) |
| Number of Displays | 1 |
| Number of Pockets | 6 |
| Plug Type | EURO |
| Power Source | N/A |
| Technology | IMPRES™ 2 |
| Type | Multi unit charger |

**CHARGER DESKTOP MULTI-UNIT IMPRES 2 1 DISPLAY EXT PS 100 - 240VAC EU**

Model No: PMPN4289B

Description: CHARGER DESKTOP MULTI-UNIT IMPRES 2 1 DISPLAY EXT PS 100 - 240VAC EU

ROHS: Yes **CE:** Yes **Country of Origin:** N/A

Price: €823.00

| | |
|---------------------------|--------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Number of Displays | 1 |
| Number of Pockets | 6 |
| Plug Type | EURO |
| Power Source | 100-240 VAC |
| Technology | IMPRES™ |
| Type | Multi unit charger |

**IMPRES™ 2 Multi-Unit Charger, w/Power Supply UK/HK**

Model No: PMPN4290A

Description: CHARGER DESKTOP MULTI-UNIT IMPRES 2 1 DISPLAY EXT PS 100-240VAC UK/HK

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €823.00

| | |
|-----------------------------------|------------------------|
| Weight (GM-Gram) | 2200 |
| Dimensions (MM-Millimeter) | 95 (W) 116 (H) 445 (L) |
| Number of Displays | 1 |
| Number of Pockets | 6 |
| Plug Type | UK/HK |
| Power Source | N/A |
| Technology | IMPRES™ 2 |
| Type | Multi unit charger |

**CHARGER DESKTOP MULTI-UNIT IMPRES 2 1 DISPLAY EXT PS 100 - 240VAC UK/HK**

Model No: PMPN4290B

Description: CHARGER DESKTOP MULTI-UNIT IMPRES 2 1 DISPLAY EXT PS 100 - 240VAC UK/HK

ROHS: Yes **CE:** Yes **Country of Origin:** N/A

Price: €823.00

| | |
|---------------------------|--------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Number of Displays | 1 |
| Number of Pockets | 6 |
| Plug Type | UK/HK |
| Power Source | N/A |
| Technology | IMPRES™ 2 |
| Type | Multi unit charger |

**IMPRES™ Single Unit Charger, Base Only**

The IMPRES™ single-unit charger offers extended talk time, thanks to optimized battery life and reliable IMPRES technology.

Model No: PMPN4527A

Description: CHARGER,CHGR DESKTOP SINGLE UNIT IMPRES BASE ONLY EXT PS

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €80.00

| | |
|-----------------------------------|----------------------|
| Weight (GM-Gram) | 110 |
| Dimensions (MM-Millimeter) | 94 (W) 51 (H) 88 (L) |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| Plug Type | N/A |
| Power Source | N/A |
| Technology | IMPRES™ |
| Type | Charger base |

**IMPRES™ Single Unit Charger, w/Power Supply UK/HK**

The IMPRES™ single-unit charger offers extended talk time, thanks to optimized battery life and reliable IMPRES technology.

Model No: PMPN4572A

Description: CHARGER,CHGR DESKTOP SINGLE UNIT IMPRES EXT PS UK/HK

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €96.00

| | |
|-----------------------------------|----------------------|
| Weight (GM-Gram) | 110 |
| Dimensions (MM-Millimeter) | 94 (W) 51 (H) 88 (L) |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| Plug Type | UK/HK |
| Power Source | N/A |
| Technology | IMPRES™ |
| Type | Single unit charger |

**IMPRES™ Single Unit Charger w/Power Supply, North America plug**

The IMPRES™ single-unit charger offers extended talk time, thanks to optimized battery life and reliable IMPRES technology.

Model No: PMPN4576A

Description: CHARGER,CHGR DESKTOP SINGLE UNIT IMPRES EXT PS US/NA/TW

ROHS: Yes **CE:** Yes **Country of Origin:** N/A

Price: €96.00

| | |
|-----------------------------------|----------------------|
| Weight (GM-Gram) | 110 |
| Dimensions (MM-Millimeter) | 94 (W) 51 (H) 88 (L) |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| Plug Type | US/NA |
| Power Source | N/A |
| Technology | IMPRES™ |
| Type | Single unit charger |

**IMPRES™ Single Unit Charger, w/Power Supply EU**

The IMPRES™ single-unit charger offers extended talk time, thanks to optimized battery life and reliable IMPRES technology.

Model No: PMPN4577A

Description: CHARGER,CHGR DESKTOP SINGLE UNIT IMPRES EXT PS EU

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €96.00

| | |
|-----------------------------------|----------------------|
| Weight (GM-Gram) | 110 |
| Dimensions (MM-Millimeter) | 94 (W) 51 (H) 88 (L) |
| Number of Displays | 0 |
| Number of Pockets | 1 |
| Plug Type | EURO |
| Power Source | N/A |
| Technology | IMPRES™ |
| Type | Single unit charger |

PROFESSIONAL RADIOS

DP4801 EX ACCESSORIES

CABLESMISC



Micro-USB Data Cable for fleet management and programming

Model No: CB000458A07

Description: CABLE, DATA,CABLE, DATA,USB CABLE, 1300MM, FERRITE CHOKE, COLLABORATIVE MUC

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €22.00

| | |
|-------------------------|-------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Cable Type | Data |

PROFESSIONAL RADIOS

DP4801 EX ACCESSORIES

LEGACY



5 Year Repair uplift from Enhanced Warranty for Specialist tier MOTOTRBO devices

Enhances the 5 Year Enhanced Warranty for Specialist tier MOTOTRBO devices to include Hardware Repair with one way shipping for the full term

Model No: GMLN5575A

Description: 5YR REP FOR ENH WARRANTY DEVICE SPEC

ROHS: N/A **CE:** N/A **Country of Origin:** N/A

Price: €165.00

| | |
|-------------------------|-------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |



5 Year Repair with Accidental Damage uplift from Enhanced Warranty for Specialist tier MOTOTRBO devices

Enhances the 5 Year Enhanced Warranty for Specialist tier MOTOTRBO devices to include Hardware Repair with Accidental Damage and twoway shipping for the full term

Model No: GMLN5576A

Description: 5YR ACC DAM FOR ENH WARR DEVICE SPEC

ROHS: N/A **CE:** N/A **Country of Origin:** N/A

Price: €275.00

| | |
|-------------------------|-------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |

PROFESSIONAL RADIOS

DP4801 EX ACCESSORIES

HEADSETS



SAVOX ATEX HC-2 HELMET COM HEADSET

Easily mounts into most helmet types, providing best-in-class audio quality and hands-free communications. Use with PMMN4093 or PMLN7257.

Model No: GMMN4580A

Description: AUDIO ACCESSORY-HEADSET, SAVOX ATEX HC-2 HELMET COM

ROHS: Yes **CE:** Yes **Country of Origin:** FI

Price: €463.50

| | |
|--------------------------------|---------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Connector Type | Nexus |
| Earpiece Style | Dual-muff |
| Headset Type | Helmet attached |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | ATEX/IECEX |
| Microphone | Embedded microphone |
| Noise Reduction Rating | N/A |
| Technology | Motorola original |
| PTT | Requires RSM |



ATEX Audio Adapter

ATEX audio adaptor with Molex jack for use with DP ATEX Series

Model No: PMLN6047A

Description: AUDIO ADAPTER WITH MOLEX JACK

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €223.00

| | |
|--------------------------------|--------------------------|
| Weight (-) | - |
| Dimensions (IN-Inch) | 0.5 (W) 2.5 (H) 0.88 (L) |
| Connector Type | N/A |
| Earpiece Style | N/A |
| Headset Type | Headset accessories |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | ATEX/IECEX |
| Microphone | N/A |
| Noise Reduction Rating | N/A |
| Technology | N/A |
| PTT | N/A |



PELTOR ATEX Twin Cup Headset with boom mic

Model No: PMLN6333A

Description: TWIN CUP HARDHAT MT HDSET, ATEX

ROHS: Yes **CE:** Yes **Country of Origin:** SE

Price: €816.00

| | |
|--------------------------------|-------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Connector Type | Nexus |
| Earpiece Style | Dual-muff |
| Headset Type | Helmet attached |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | ATEX/IECEX |
| Microphone | Boom mic |
| Noise Reduction Rating | 24 dB |
| Technology | Motorola original |
| PTT | Requires RSM |



Small PTT adapter with Nexus jack

For use with Peltor™ headsets as an alternative to the ANC RSM. Attaches directly to the side connector of the MTP8000Ex Series radios. Compatible with Peltor Headsets PMLN6087, PMLN6092, PMLN6333, PMLN6090 and PMLN6089.

Model No: PMLN6803A

Description: AUDIO ACCESSORY-AUDIO ADAPTER,ATEX SMALL PTT ADAPTER

ROHS: Yes **CE:** Yes **Country of Origin:** SE

Price: €531.00

| | |
|--------------------------------|---------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Connector Type | Direct to radio |
| Earpiece Style | N/A |
| Headset Type | Headset accessories |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | ATEX/IECEX |
| Microphone | N/A |
| Noise Reduction Rating | N/A |
| Technology | N/A |
| PTT | On interface module |



TACTICAL OVER HDBAND HDSET NECK BAND W/ NEXUS,ATEX

Model No: PMLN7535A

Description: TACTICAL OVER HDBAND HDSET NECK BAND W/ NEXUS,ATEX

ROHS: No **CE:** No **Country of Origin:** SE

Price: €944.00

| | |
|--------------------------------|-------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Connector Type | Nexus |
| Earpiece Style | Dual-muff |
| Headset Type | Behind-the-head |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | ATEX/IECEX |
| Microphone | Boom mic |
| Noise Reduction Rating | 23 dB |
| Technology | Tactical |
| PTT | Requires RSM |



SAVOX ATEX HC-1 HEADSET

This is a SAVOX ATEX helmet-com headset for professionals working in hazardous conditions. It easily mounts into most helmet types and provides hands-free communications. It requires a remote push-to-talk unit (RMN5120) or emergency button (RMN5121).

Model No: RMN5123A

Description: SAVOX ATEX HC-1 HEADSET

ROHS: Yes **CE:** Yes **Country of Origin:** FI

Price: €319.50

| | |
|--------------------------------|---------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Connector Type | Nexus |
| Earpiece Style | Single-ear |
| Headset Type | Helmet attached |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | ATEX/IECEX |
| Microphone | Embedded microphone |
| Noise Reduction Rating | N/A |
| Technology | Motorola original |
| PTT | Requires RSM |

PROFESSIONAL RADIOS

DP4801 EX ACCESSORIES

CPSSOFTWARE



IMPRES™ Battery Fleet Management EMEA Entitlement ID (EID)

After ordering the BFM Entitlement ID (EID), you will receive an email with the EID License which will enable you to download the BFM 4.0 software through the MSI internal MYVIEW Portal. Refer to the Ordering and Deployment Guide in the resources section for more details.

Model No: HKVN4037A

Description: EMEA FLEET MANAGEMENT LICENSE KEY

ROHS: N/A **CE:** N/A **Country of Origin:** US

Price: €0.00

| | |
|---------------------------------|-------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Software Delivery | Electronic |
| Software Release Version | N/A |
| Software Type | License |

PROFESSIONAL RADIOS

DP4801 EX ACCESSORIES

BATTERIES



ATEX IMPRES 2075 mAh Li-Ion Battery

Model No: NNTN8359C

Description: BATT IMPRES IECEX/ATEX LIION 2075T

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €340.00

| | |
|--------------------------------|-------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Chemistry | Li-Ion 2075 mAh |
| Intrinsic Safety Rating | ATEX/IECEX |
| IP Rating | IP64 |
| Technology | IMPRES |
| Type | Battery |

PROFESSIONAL RADIOS

DP4801 EX ACCESSORIES

ANTENNAS

GPS Helical Antenna (136-147MHz) Ex

Compatible with the DP 4000 EX series, this MOTOTRBO antenna accessory is a VHF/GPS helical whip antenna for ATEX radio designed for the 136-147 frequency band.

Model No: PMAD4126A

Description: GPS HELICAL ANTENNA (136-147MHZ) EX

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €22.00

GPS Helical Antenna (147-160MHz) Ex

Compatible with DP 4000 EX Series, this MOTOTRBO antenna accessory is VHF/GPS Helical whip antenna for ATEX radio designed for the 147-160 frequency band.

Model No: PMAD4127A

Description: ANTENNA, STAMPED METAL,GPS HELICAL ANTENNA (147-160MHZ) EX

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €22.00

GPS Helical Antenna (160-174MHz) Ex

Compatible with DP 4000 EX Series, this MOTOTRBO antenna accessory is a UHF stubby antenna for ATEX radio designed for the 160-174 frequency band.

Model No: PMAD4128A

Description: GPS HELICAL ANTENNA (160-174MHZ) EX

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €22.00

VHF Stubby Antenna(136-147MHz)Ex

Compatible with the DP 4000 EX series, this MOTOTRBO antenna accessory is a VHF stubby antenna for ATEX radio designed for the 136-247 frequency band.

Model No: PMAD4129A

Description: ANTENNA, STAMPED METAL,VHF STUBBY ANT 11CM(136-147)NON-GPS

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €24.00

| | |
|--------------------------------|------------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Frequency Band | VHF |
| Frequency Range (MHz) | 136-147 MHz |
| Integrated GPS | Yes |
| Intrinsic Safety Rating | N/A |
| Mounting Style | N/A |
| Type | Portable radio antenna |

| | |
|--------------------------------|------------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Frequency Band | VHF |
| Frequency Range (MHz) | 147-160 MHz |
| Integrated GPS | Yes |
| Intrinsic Safety Rating | N/A |
| Mounting Style | N/A |
| Type | Portable radio antenna |

| | |
|--------------------------------|------------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Frequency Band | VHF |
| Frequency Range (MHz) | 160-174 MHz |
| Integrated GPS | Yes |
| Intrinsic Safety Rating | N/A |
| Mounting Style | N/A |
| Type | Portable radio antenna |

| | |
|--------------------------------|------------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Frequency Band | VHF |
| Frequency Range (MHz) | 136-147 MHz |
| Integrated GPS | No |
| Intrinsic Safety Rating | N/A |
| Mounting Style | N/A |
| Type | Portable radio antenna |

VHF Stubby Antenna (ATEX)

VHF stubby antenna for use with ATEX radio (150–155 MHz).

Model No: PMAD4130A

Description: VHF STUBBY ANT 11CM(147-160)NON-GPS

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €24.00

| | |
|--------------------------------|------------------------|
| Weight (-) | - |
| Dimensions (IN-Inch) | - (W) 4.25 (H) 0.5 (L) |
| Frequency Band | VHF |
| Frequency Range (MHz) | 150-155 MHz |
| Integrated GPS | No |
| Intrinsic Safety Rating | N/A |
| Mounting Style | SMA-FEMALE |
| Type | Portable radio antenna |

ANTENNA, STAMPED METAL,VHF STUBBY ANT 11CM(160-174)NON-GPS

Compatible with DP 4000 EX Series, this MOTOTRBO antenna accessory is a VHF stubby antenna for ATEX radio designed for the 160-174 frequency band.

Model No: PMAD4131A

Description: ANTENNA, STAMPED METAL,VHF STUBBY ANT 11CM(160-174)NON-GPS

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €24.00

| | |
|--------------------------------|------------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Frequency Band | VHF |
| Frequency Range (MHz) | 161-174 MHz |
| Integrated GPS | No |
| Intrinsic Safety Rating | N/A |
| Mounting Style | N/A |
| Type | Portable radio antenna |

ATEX VHF Wideband Antenna

Compatible with DP4000 EX series, this MOTOTRBO Antenna is a VHF widebandAntenna for ATEX Radio, designed for the 136-174 frequency band.

Model No: PMAD4132A

Description: ANTENNA, STAMPED METAL,VHF WB 22CM ANT(136-174MHZ) NON-GPS

ROHS: Yes **CE:** Yes **Country of Origin:** CN

Price: €27.00

| | |
|--------------------------------|------------------------|
| Weight (-) | - |
| Dimensions (IN-Inch) | - (W) 8.75 (H) 0.5 (L) |
| Frequency Band | VHF |
| Frequency Range (MHz) | 136-174 MHz |
| Integrated GPS | No |
| Intrinsic Safety Rating | N/A |
| Mounting Style | SMA-FEMALE |
| Type | Portable radio antenna |

UHF Folded Monopole Antenna (403-433MHz) Ex

Compatible with DP 4000 EX seires, this MOTOTRBO antenna accessory is a UHF folded monopole whip antenna for ATEX radio designed for the 403-433 frequency band.

Model No: PMAE4081A

Description: DMR UHF+GPS FOLDED MONOPOLE(403-433)

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €22.00

| | |
|--------------------------------|------------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Frequency Band | UHF |
| Frequency Range (MHz) | 403-433 MHz |
| Integrated GPS | Yes |
| Intrinsic Safety Rating | N/A |
| Mounting Style | N/A |
| Type | Portable radio antenna |

UHF Folded Monopole Whip Antenna (ATEX)

UHF folded monopole whip antenna for use with an ATEX radio (430–470 MHz).

Model No: PMAE4082A

Description: DMR UHF+GPS FOLDED MONOPOLE(430-470)

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €22.00

| | |
|--------------------------------|------------------------|
| Weight (-) | - |
| Dimensions (IN-Inch) | - (W) 5.63 (H) 0.5 (L) |
| Frequency Band | UHF |
| Frequency Range (MHz) | 430-470 MHz |
| Integrated GPS | Yes |
| Intrinsic Safety Rating | N/A |
| Mounting Style | SMA-FEMALE |
| Type | Portable radio antenna |

UHF Stubby Antenna Ex (403-433MHz)

Compatible with DP4000 EX series, this MOTOTRBO antenna is a UHF stubby antenna for ATEX radio, designed for the 403-433 frequency band.

Model No: PMAE4083A

Description: DMR UHF+GPS STUBBY ANTENNA(403-433)

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €22.00

| | |
|--------------------------------|------------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Frequency Band | UHF |
| Frequency Range (MHz) | 403-433 MHz |
| Integrated GPS | Yes |
| Intrinsic Safety Rating | N/A |
| Mounting Style | N/A |
| Type | Portable radio antenna |

UHF Stubby Antenna Ex (430-470MHz)

Compatible with DP4000 EX series, this MOTOTRBO antenna is a UHF stubby antenna for ATEX radio, designed for the 430-470 frequency band.

Model No: PMAE4084A

Description: DMR UHF+GPS STUBBY ANTENNA(430-470)

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €22.00

| | |
|--------------------------------|------------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Frequency Band | UHF |
| Frequency Range (MHz) | 403-470 MHz |
| Integrated GPS | Yes |
| Intrinsic Safety Rating | N/A |
| Mounting Style | N/A |
| Type | Portable radio antenna |

ATEX UHF Wideband Whip Antenna

Compatible with DP4000 EX series, this MOTOTRBO antenna is a UHF wideband whip antenna for ATEX radio, designed for the 403-470 frequency band.

Model No: PMAE4085A

Description: DMR UHF WHIP ANT(403-470MHZ)NON-GPS

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €22.00

| | |
|--------------------------------|------------------------|
| Weight (-) | - |
| Dimensions (IN-Inch) | - (W) 6.38 (H) 0.5 (L) |
| Frequency Band | UHF |
| Frequency Range (MHz) | 403-470 MHz |
| Integrated GPS | No |
| Intrinsic Safety Rating | N/A |
| Mounting Style | SMA-FEMALE |
| Type | Portable radio antenna |

PROFESSIONAL RADIOS

DP4801 EX ACCESSORIES

CARRY



2.5" Swivel Belt Loop

This swivel latch system allows the radio to swing freely from side to side and ensures that the radio remains securely in place during a foot chase.

Model No: PMLN5610A

Description: ACCESSORY KIT,2.5 INCH SWIVEL BELT LOOP

ROHS: Yes **CE:** N/A **Country of Origin:** IN

Price: €12.00

| | |
|----------------------------------------|------------------------|
| Weight (GM-Gram) | 47 |
| Dimensions (IN-Inch) | 1 (W) 3.75 (H) 2.5 (L) |
| Belt Loop / Clip Dimension (in) | 2.5 inch |
| Compatible Batteries | N/A |
| Display | N/A |
| Material | Hard leather |
| Type | Swivel |



ATEX 2.5" Belt Clip

Compatible with DP4000 EX series, this MOTOTRBO carry accessory is a plastic 2.5-inch belt clip for ATEX models.

Model No: PMLN6086A

Description: ATEX BELT CLIP 2.5 INCH

ROHS: Yes **CE:** N/A **Country of Origin:** MY

Price: €11.00

| | |
|----------------------------------------|----------------------------|
| Weight (-) | - |
| Dimensions (IN-Inch) | 0.25 (W) 3.63 (H) 1.25 (L) |
| Belt Loop / Clip Dimension (in) | 2.5 inch |
| Compatible Batteries | N/A |
| Display | N/A |
| Material | Plastic |
| Type | Belt Clip |



Hard Leather Carry Case With 2.5" Swivel Belt Loop

Compatible with DP4000 EX series, this MOTOTRBO carry accessory is a hard leather case with 2.5 inch swivel belt loop for non-display Atex model.

Model No: PMLN6096A

Description: HARD LEATHER CC 2.5INCH SWL PLAIN

ROHS: Yes **CE:** N/A **Country of Origin:** IN

Price: €85.00

| | |
|----------------------------------------|-----------------------|
| Weight (-) | - |
| Dimensions (IN-Inch) | 2 (W) 5.5 (H) 2.5 (L) |
| Belt Loop / Clip Dimension (in) | 2.5 inch |
| Compatible Batteries | N/A |
| Display | No display visible |
| Material | Hard leather |
| Type | Swivel |



Hard Leather Carry Case, Full Keypad

Compatible with DP4000 EX series, this MOTOTRBO carry accessory is a hard leather case with 2.5 inch swivel belt loop for display Atex model.

Model No: PMLN6097A

Description: HARD LEATHER CC 2.5INCH SWL FKP

ROHS: Yes **CE:** N/A **Country of Origin:** IN

Price: €85.00

| | |
|----------------------------------------|----------------------|
| Weight (-) | - |
| Dimensions (IN-Inch) | 2 (W) 6 (H) 2.75 (L) |
| Belt Loop / Clip Dimension (in) | 2.5 inch |
| Compatible Batteries | N/A |
| Display | No display visible |
| Material | Hard leather |
| Type | Swivel |



Soft Leather Carry Case With 2.5" Swivel

Soft leather case with 2.5-inch swivel belt loop for DP4801 EX and DP4401 EX non-display models.

Model No: PMLN6098A

Description: SOFT LEATHER CC 2.5INCH SWL PLAIN

ROHS: Yes **CE:** N/A **Country of Origin:** IN

Price: €64.00

| | |
|----------------------------------------|----------------------|
| Weight (-) | - |
| Dimensions (IN-Inch) | 2 (W) 6 (H) 2.38 (L) |
| Belt Loop / Clip Dimension (in) | 2.5 inch |
| Compatible Batteries | N/A |
| Display | No display visible |
| Material | Soft leather |
| Type | Swivel |



Soft Leather Carry Case With 2.5" Swivel, Full Keypad

Motorola PMLN6099A is a soft leather case for the full-keypad DP4801Ex ATEX radios.

Model No: PMLN6099A

Description: SOFT LEATHER CC 2.5INCH SWL FKP

ROHS: Yes **CE:** N/A **Country of Origin:** IN

Price: €64.00

| | |
|----------------------------------------|-----------------------|
| Weight (-) | - |
| Dimensions (IN-Inch) | 1.5 (W) 7 (H) 2.5 (L) |
| Belt Loop / Clip Dimension (in) | 2.5 inch |
| Compatible Batteries | N/A |
| Display | No display visible |
| Material | Soft leather |
| Type | Swivel |

PROFESSIONAL RADIOS

DP4801 EX ACCESSORIES

EARPIECES



Receive only Earpiece with Translucent Tube and Eartip

Earpiece with clear comfort tube, 3.5mm, ATEX.

Model No: PMLN7188B

Description: AUDIO ACCESSORY-EARPIECE,ENH ATEX
3.5MM EARPIECE W/TRAN TUBE

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €69.00

| | |
|--------------------------------|------------------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Earpiece Type | RSM 3.5mm unthreaded rx only |
| Industry | N/A |
| Intrinsic Safety Rating | ATEX/IECEX |
| Microphone | N/A |
| PTT | N/A |

PROFESSIONAL RADIOS

DP4801 EX ACCESSORIES

REMOTESPEAKERMICS


ACCESSORY KIT,IMPRES ATEX NC RSM
Model No: PMMN4094A

Description: ACCESSORY KIT,IMPRES ATEX NC RSM

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €605.00

| | |
|--------------------------------|------------------------------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Channel Control | No |
| Display | No display |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | ATEX/IECEX |
| IP Rating | IP67 |
| Microphone Type | Noise-canceling |
| Programmable Button | Orange emergency and programmable button |
| Technology | IMPRES |
| Volume Control | Yes |
| Audiobuchse | 3.5mm non-threaded |


ACCESSORY KIT,IMPRES EX OMNI RSM STD CBL/NEX/200
Model No: PMMN4110A

Description: ACCESSORY KIT,IMPRES EX OMNI RSM STD CBL/NEX/200

ROHS: Yes **CE:** Yes **Country of Origin:** MY

Price: €599.00

| | |
|--------------------------------|------------------------------------------|
| Weight (-) | - |
| Dimensions (-) | - (W) - (H) - (L) |
| Channel Control | No |
| Display | No display |
| Industry | N/A |
| Intelligent Audio | N/A |
| Intrinsic Safety Rating | ATEX/IECEX |
| IP Rating | IP67 |
| Microphone Type | Windporting |
| Programmable Button | Orange emergency and programmable button |
| Technology | IMPRES |
| Volume Control | Yes |
| Audiobuchse | Nexus and 3.5mm locking |