

SL 1600

MOTOTRBO™ SL1600 Ultra-Slim Two-Way Radio VHF Model



SL1600 Simple and reliable communication for the mobile, everyday user. With a slim, easy-to-use design, the SL1600 has the latest technology for optimum performance when you need it.

MOTOTRBO™ SL1600 provides reliable push-to-talk communication for the mobile, everyday user in an ultra-slim and rugged profile. Whether you're working in the field or at a black-tie event, the SL1600 is boldly designed to keep you efficiently connected.

Measuring only 22mm thick, the SL1600 is ultra-portable. A stubby antenna, curved edges and rugged frame make the SL1600 the perfect work partner. It can be easily carried in pockets or bags without snagging or bulging.

Designed for easy and intuitive use, the SL1600 has a side volume control, dedicated power button, prominent push-to-talk button, and top toggle channel switch to enable quick one-hand access. Channel "fast toggle" allows users to scroll through 10 channels at a time.

The SL1600 is outfitted with the latest technology for performance and ease of use. The shatterproof Active View display uses a matrix of LEDs behind the radio housing to communicate radio information and shuts off when not in use to conserve battery life. The SL1600 features Range Max technology: an advanced radio design and patented antenna which delivers enhanced range while maintaining a slim profile and long battery life

The SL1600 is built to last. IP54 rated for dust and water resistance, it can be used even in harsh environments. This radio can survive many drops and tumbles. It has also been proven tough in Motorola's grueling Accelerated Life Test, where the radio is tested against a simulated 5 years of hard service before it is accepted.

Model No

Technical Description

MDH88JCP9JA2AN	SL1600 VHF DISPLAY PTO302D		
	ROHS: N/A	CE: Yes	Country of Origin: N/A

Band Split	VHF
Display & Keypad Type	Display,No Keypad
Encryption Type	Basic Privacy
Enhanced Radio Features	
Intrinsically Safe	No
IP Rating	IP54
Number of Channels	99
Power	3W

Standard Package Includes:	1 x Radio,Battery,Charger,Antenna,Carry Holster
System Compatability	Analog Conventional, Digital Conventional, IP Site Connect (optional)
Туре	Portable



SL 1600

MOTOTRBO™ SL1600 Ultra-Slim Two-Way Radio VHF Model

Model No	Technical Description	Price
MDH88JCP9JA2AN	MOTOTRBO™ SL1600 Ultra-Slim Two-Way Radio VHF Model	€505.00

MANDATORY OPTIONS:

	Option SKU	Description	Price
CLS BAT SL1600	QA04815AA	ADD: SL BATT LIION 2300T	€0.00
CLS ANT SL1600 VHF	QA04816AA	ADD:VHF STUBBY ANT (136-144MHZ) 5CM	€0.00
	QA04817AA	ADD:VHF STUBBY ANT (144-156MHZ) 5CM	€0.00
	QA04818AA	ADD:VHF STUBBY ANT (156-174MHZ) 5CM	€0.00
	QA06770AA	ADD: VHF WHIP ANT (136-144MHZ) 9CM	€0.00
	QA06771AA	ADD: VHF WHIP ANT (144-156MHZ) 9CM	€0.00
	QA06772AA	ADD: VHF WHIP ANT (156-174MHZ) 9CM	€0.00
CLS CHG SL1600	QA04822AA	ADD: USB CHARGER CE UK 100/240V	€0.00
	QA04823AA	DEL: CHARGER	-€9.00
	QA04835AA	ADD: USB CHARGER CE EU 100/240V	€0.00
	QA04836AA	ADD: SUC SMPS CE UK 100/240V	€40.00
	QA04837AA	ADD: SUC SMPS CE EU 100/240V	€40.00
CLS MAN SL1600	QA04826AA	ADD: SL1600 QUICK REF GUIDE	€4.00
	QA04827AA	DEL: QUICK REFERENCE GUIDE	€0.00
PCR SERV OPTION 1	QA07698AA	ADD: 5 YEAR ENHANCED WARRANTY	€14.50
	QA07699AA	ADD: 5YR ENHANCED WARRANTY WITH REPAIR	€70.00
	QA07701AA	ADD:5YR ENHANCED WARR WITH REPAIR AND ACC DAM	€145.00
	QA07702AA	DEL: STANDARD WARRANTY APPLIES	€0.00

	Option SKU	Description	Price
CLS ACC SL1600	QA04828AA	ADD: HOLSTER	€0.00
	QA04829AA	ADD: WRIST STRAP	€0.00
	QA04830AA	ADD: HAND STRAP	€8.00
	QA04831AA	ADD: HEAVY DUTY BELT CLIP	€5.00



SL 1600

MOTOTRBO™ SL1600 Ultra-Slim Two-Way Radio VHF Bulk Model



SL1600 Simple and reliable communication for the mobile, everyday user. With a slim, easy-to-use design, the SL1600 has the latest technology for optimum performance when you need it.

MOTOTRBO™ SL1600 provides reliable push-to-talk communication for the mobile, everyday user in an ultra-slim and rugged profile. Whether you're working in the field or at a black-tie event, the SL1600 is boldly designed to keep you efficiently connected.

Measuring only 22mm thick, the SL1600 is ultra-portable. A stubby antenna, curved edges and rugged frame make the SL1600 the perfect work partner. It can be easily carried in pockets or bags without snagging or bulging.

Designed for easy and intuitive use, the SL1600 has a side volume control, dedicated power button, prominent push-to-talk button, and top toggle channel switch to enable quick one-hand access. Channel "fast toggle" allows users to scroll through 10 channels at a time.

The SL1600 is outfitted with the latest technology for performance and ease of use. The shatterproof Active View display uses a matrix of LEDs behind the radio housing to communicate radio information and shuts off when not in use to conserve battery life. The SL1600 features Range Max technology: an advanced radio design and patented antenna which delivers enhanced range while maintaining a slim profile and long battery life.

The SL1600 is built to last. IP54 rated for dust and water resistance, it can be used even in harsh environments. This radio can survive many drops and tumbles. It has also been proven tough in Motorola's grueling Accelerated Life Test, where the radio is tested against a simulated 5 years of hard service before it is accepted.

Model No

Technical Description

MDH88JCP9JA2ANB	SL1600 VHF DISPLAY PTO302D		
	ROHS: N/A	CE: Yes	Country of Origin: MY

Band Split	VHF
Display & Keypad Type	Display,No Keypad
Encryption Type	Basic Privacy
Enhanced Radio Features	
Intrinsically Safe	No
IP Rating	IP54
Number of Channels	99
Power	3W

Standard Package Includes:	1 x Radio,Battery,Charger,Antenna,Carry Holster
System Compatability	Analog Conventional, Digital Conventional, IP Site Connect (optional)
Туре	Portable



SL 1600

MOTOTRBO™ SL1600 Ultra-Slim Two-Way Radio VHF Bulk Model

Model No	Technical Description	Price
MDH88JCP9JA2ANB	MOTOTRBO™ SL1600 Ultra-Slim Two-Way Radio VHF Bulk Model	€490.00

MANDATORY OPTIONS:

	Option SKU	Description	Price
CLS BAT SL1600	QA04815AA	ADD: SL BATT LIION 2300T	€0.00
CLS ANT SL1600 VHF	QA04816AA	ADD:VHF STUBBY ANT (136-144MHZ) 5CM	€0.00
	QA04817AA	ADD:VHF STUBBY ANT (144-156MHZ) 5CM	€0.00
	QA04818AA	ADD:VHF STUBBY ANT (156-174MHZ) 5CM	€0.00
	QA06770AA	ADD: VHF WHIP ANT (136-144MHZ) 9CM	€0.00
	QA06771AA	ADD: VHF WHIP ANT (144-156MHZ) 9CM	€0.00
	QA06772AA	ADD: VHF WHIP ANT (156-174MHZ) 9CM	€0.00
CLS CHG SL1600 BULK	QA04824AA	ADD: USB CHARGER CE UK 100/240V	€0.00
	QA04825AA	DEL: CHARGER	-€9.00
	QA04838AA	ADD: USB CHARGER CE EU 100/240V	€0.00
	QA04839AA	ADD: SUC SMPS CE UK 100/240V	€40.00
	QA04840AA	ADD: SUC SMPS CE EU 100/240V	€40.00
CLS MAN SL1600	QA04826AA	ADD: SL1600 QUICK REF GUIDE	€4.00
	QA04827AA	DEL: QUICK REFERENCE GUIDE	€0.00
PCR SERV OPTION 1	QA07698AA	ADD: 5 YEAR ENHANCED WARRANTY	€14.50
	QA07699AA	ADD: 5YR ENHANCED WARRANTY WITH REPAIR	€70.00
	QA07701AA	ADD:5YR ENHANCED WARR WITH REPAIR AND ACC DAM	€145.00
	QA07702AA	DEL: STANDARD WARRANTY APPLIES	€0.00

	Option SKU	Description	Price
CLS ACC SL1600	QA04828AA	ADD: HOLSTER	€0.00
	QA04829AA	ADD: WRIST STRAP	€0.00
	QA04830AA	ADD: HAND STRAP	€8.00
	QA04831AA	ADD: HEAVY DUTY BELT CLIP	€5.00



SL 1600

MOTOTRBO™ SL1600 Ultra-Slim Two-Way Radio UHF Model



SL1600 Simple and reliable communication for the mobile, everyday user. With a slim, easy-to-use design, the SL1600 has the latest technology for optimum performance when you need it.

MOTOTRBO™ SL1600 provides reliable push-to-talk communication for the mobile, everyday user in an ultra-slim and rugged profile. Whether you're working in the field or at a black-tie event, the SL1600 is boldly designed to keep you efficiently connected.

Measuring only 22mm thick, the SL1600 is ultra-portable. A stubby antenna, curved edges and rugged frame make the SL1600 the perfect work partner. It can be easily carried in pockets or bags without snagging or bulging.

Designed for easy and intuitive use, the SL1600 has a side volume control, dedicated power button, prominent push-to-talk button, and top toggle channel switch to enable quick one-hand access. Channel "fast toggle" allows users to scroll through 10 channels at a time.

The SL1600 is outfitted with the latest technology for performance and ease of use. The shatterproof Active View display uses a matrix of LEDs behind the radio housing to communicate radio information and shuts off when not in use to conserve battery life. The SL1600 features Range Max technology: an advanced radio design and patented antenna which delivers enhanced range while maintaining a slim profile and long battery life.

The SL1600 is built to last. IP54 rated for dust and water resistance, it can be used even in harsh environments. This radio can survive many drops and tumbles. It has also been proven tough in Motorola's grueling Accelerated Life Test, where the radio is tested against a simulated 5 years of hard service before it is accepted.

Model No

Technical Description

MDH88QCP9JA2AN	SL1600 UHF DISPLAY PTO502D		
	ROHS: N/A	CE: Yes	Country of Origin: N/A

Band Split	UHF
Display & Keypad Type	Display,No Keypad
Encryption Type	Basic Privacy
Enhanced Radio Features	
Intrinsically Safe	No
IP Rating	IP54
Number of Channels	99
Power	3W

Standard Package Includes:	1 x Radio,Battery,Charger,Antenna,Carry Holster
System Compatability	Analog Conventional, Digital Conventional, IP Site Connect (optional)
Туре	Portable



SL 1600

MOTOTRBO™ SL1600 Ultra-Slim Two-Way Radio UHF Model

Model No	Technical Description	Price
MDH88QCP9JA2AN	MOTOTRBO™ SL1600 Ultra-Slim Two-Way Radio UHF Model	€505.00

MANDATORY OPTIONS:

	Option SKU	Description	Price
CLS BAT SL1600	QA04815AA	ADD: SL BATT LIION 2300T	€0.00
CLS ANT SL1600 UHF	QA04819AA	ADD:UHF STUBBY ANT (403-425MHZ) 4.5CM	€0.00
	QA04820AA	ADD:UHF STUBBY ANT (420-445MHZ) 4.5CM	€0.00
	QA04821AA	ADD:UHF STUBBY ANT (435-470MHZ) 4.5CM	€0.00
CLS CHG SL1600	QA04822AA	ADD: USB CHARGER CE UK 100/240V	€0.00
	QA04823AA	DEL: CHARGER	-€9.00
	QA04835AA	ADD: USB CHARGER CE EU 100/240V	€0.00
	QA04836AA	ADD: SUC SMPS CE UK 100/240V	€40.00
	QA04837AA	ADD: SUC SMPS CE EU 100/240V	€40.00
CLS MAN SL1600	QA04826AA	ADD: SL1600 QUICK REF GUIDE	€4.00
	QA04827AA	DEL: QUICK REFERENCE GUIDE	€0.00
PCR SERV OPTION 1	QA07698AA	ADD: 5 YEAR ENHANCED WARRANTY	€14.50
	QA07699AA	ADD: 5YR ENHANCED WARRANTY WITH REPAIR	€70.00
	QA07701AA	ADD:5YR ENHANCED WARR WITH REPAIR AND ACC DAM	€145.00
	QA07702AA	DEL: STANDARD WARRANTY APPLIES	€0.00

NON-MANDATORY OPTIONS:

	Option SKU	Description	Price
CLS ACC SL1600	QA04828AA	ADD: HOLSTER	€0.00

	Option SKU	Description	Price
	QA04829AA	ADD: WRIST STRAP	€0.00
	QA04830AA	ADD: HAND STRAP	€8.00
	QA04831AA	ADD: HEAVY DUTY BELT CLIP	€5.00



SL 1600

MOTOTRBO™ SL1600 Ultra-Slim Two-Way Radio UHF Bulk Model



SL1600 Simple and reliable communication for the mobile, everyday user. With a slim, easy-to-use design, the SL1600 has the latest technology for optimum performance when you need it.

MOTOTRBO™ SL1600 provides reliable push-to-talk communication for the mobile, everyday user in an ultra-slim and rugged profile. Whether you're working in the field or at a black-tie event, the SL1600 is boldly designed to keep you efficiently connected.

Measuring only 22mm thick, the SL1600 is ultra-portable. A stubby antenna, curved edges and rugged frame make the SL1600 the perfect work partner. It can be easily carried in pockets or bags without snagging or bulging.

Designed for easy and intuitive use, the SL1600 has a side volume control, dedicated power button, prominent push-to-talk button, and top toggle channel switch to enable quick one-hand access. Channel "fast toggle" allows users to scroll through 10 channels at a time.

The SL1600 is outfitted with the latest technology for performance and ease of use. The shatterproof Active View display uses a matrix of LEDs behind the radio housing to communicate radio information and shuts off when not in use to conserve battery life. The SL1600 features Range Max technology: an advanced radio design and patented antenna which delivers enhanced range while maintaining a slim profile and long battery life.

The SL1600 is built to last. IP54 rated for dust and water resistance, it can be used even in harsh environments. This radio can survive many drops and tumbles. It has also been proven tough in Motorola's grueling Accelerated Life Test, where the radio is tested against a simulated 5 years of hard service before it is accepted.

Model No

Technical Description

MDH88QCP9JA2ANB	SL1600 UHF [DISPLAY PTO	D502D
	ROHS: N/A	CE: Yes	Country of Origin: N/A

Band Split	UHF
Display & Keypad Type	Display,No Keypad
Encryption Type	Basic Privacy
Enhanced Radio Features	
Intrinsically Safe	No
IP Rating	IP54
Number of Channels	99
Power	3W

Standard Package Includes:	1 x Radio,Battery,Charger,Antenna,Carry Holster
System Compatability	Analog Conventional, Digital Conventional, IP Site Connect (optional)
Туре	Portable



SL 1600

MOTOTRBO™ SL1600 Ultra-Slim Two-Way Radio UHF Bulk Model

Model No	Technical Description	Price
MDH88QCP9JA2ANB	MOTOTRBO™ SL1600 Ultra-Slim Two-Way Radio UHF Bulk Model	€490.00

MANDATORY OPTIONS:

	Option SKU	Description	Price
CLS BAT SL1600	QA04815AA	ADD: SL BATT LIION 2300T	€0.00
CLS ANT SL1600 UHF	QA04819AA	ADD:UHF STUBBY ANT (403-425MHZ) 4.5CM	€0.00
	QA04820AA	ADD:UHF STUBBY ANT (420-445MHZ) 4.5CM	€0.00
	QA04821AA	ADD:UHF STUBBY ANT (435-470MHZ) 4.5CM	€0.00
CLS CHG SL1600 BULK	QA04824AA	ADD: USB CHARGER CE UK 100/240V	€0.00
	QA04825AA	DEL: CHARGER	-€9.00
	QA04838AA	ADD: USB CHARGER CE EU 100/240V	€0.00
	QA04839AA	ADD: SUC SMPS CE UK 100/240V	€40.00
	QA04840AA	ADD: SUC SMPS CE EU 100/240V	€40.00
CLS MAN SL1600	QA04826AA	ADD: SL1600 QUICK REF GUIDE	€4.00
	QA04827AA	DEL: QUICK REFERENCE GUIDE	€0.00
PCR SERV OPTION 1	QA07698AA	ADD: 5 YEAR ENHANCED WARRANTY	€14.50
	QA07699AA	ADD: 5YR ENHANCED WARRANTY WITH REPAIR	€70.00
	QA07701AA	ADD:5YR ENHANCED WARR WITH REPAIR AND ACC DAM	€145.00
	QA07702AA	DEL: STANDARD WARRANTY APPLIES	€0.00

NON-MANDATORY OPTIONS:

	Option SKU	Description	Price
CLS ACC SL1600	QA04828AA	ADD: HOLSTER	€0.00

Option SKU	Description	Price
QA04829AA	ADD: WRIST STRAP	€0.00
QA04830AA	ADD: HAND STRAP	€8.00
QA04831AA	ADD: HEAVY DUTY BELT CLIP	€5.00



SL 1600 ACCESSORIES

ANTENNAS

000

Antenna ID Bands, 10 Pack

Compatible with XPR series 3000,3000e,7000 and 7000e series, these MOTOTRBO atenna ID bands come in gray and ships in pack of 10.

Model No: 32012144001

Description: ANTENNA ID BAND (GREY- PACK OF 10PCS)

ROHS: Yes CE: N/A Country of Origin: CN

Price: €14.00

000

Antenna ID Bands, 10 Pack

Compatible with XPR 3000, 3000e, 7000 and 7000e series, this MOTOTRBO antenna accessory ID band comes in yellow and ships as a pack of 10.

Model No: 32012144002

Description: ANTENNA ID BAND (YELLOW-PACK OF 10PCS)

ROHS: Yes CE: N/A Country of Origin: CN

Price: €14.00

000

Antenna ID Bands, 10 Pack

Compatible with XPR series 3000,3000e,7000 and 7000e series, these MOTOTRBO atenna ID bands come in green and ships in

pack of 10.

Model No: 32012144003

Description: ANTENNA ID BAND (GREEN- PACK OF 10PCS)

ROHS: Yes CE: N/A Country of Origin: CN

Price: €14.00

000

Antenna ID Bands, 10 Pack

Compatible with XPR series 3000,3000e,7000 and 7000e series, these MOTOTRBO atenna ID bands come in blue and ships in pack of 10.

Model No: 32012144004

Description: ANTENNA ID BAND (BLUE- PACK OF 10PCS)

ROHS: Yes CE: N/A Country of Origin: CN

Price: €14.00

Weight (-)	-
Dimensions (IN- Inch)	0.38 (W) 0.5 (H) 0.5 (L)
Frequency Band	N/A
Frequency Range (MHz)	N/A
Integrated GPS	N/A
Intrinsic Safety Rating	N/A
Mounting Style	N/A
Туре	Antenna id bands
Weight (-)	-
Dimensions (IN- Inch)	0.38 (W) 0.5 (H) 0.5 (L)
Frequency Band	N/A
Frequency Range (MHz)	N/A
Integrated GPS	N/A
Intrinsic Safety Rating	N/A
Mounting Style	N/A
Туре	Antenna id bands
Weight (-)	-
Weight (-) Dimensions (IN- Inch)	- 0.38 (W) 0.5 (H) 0.5 (L)
Dimensions (IN-	- 0.38 (W) 0.5 (H) 0.5 (L) N/A
Dimensions (IN- Inch)	
Dimensions (IN- Inch) Frequency Band Frequency Range	N/A
Dimensions (IN- Inch) Frequency Band Frequency Range (MHz)	N/A N/A
Dimensions (IN- Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety	N/A N/A
Dimensions (IN- Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating	N/A N/A N/A N/A
Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style	N/A N/A N/A N/A N/A
Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type	N/A N/A N/A N/A N/A
Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN-	N/A N/A N/A N/A N/A Antenna id bands
Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN-Inch)	N/A N/A N/A N/A N/A N/A Antenna id bands - 0.38 (W) 0.5 (H) 0.5 (L)
Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN-Inch) Frequency Band Frequency Range	N/A N/A N/A N/A N/A N/A Antenna id bands - 0.38 (W) 0.5 (H) 0.5 (L) N/A
Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN-Inch) Frequency Band Frequency Range (MHz)	N/A N/A N/A N/A N/A N/A Antenna id bands - 0.38 (W) 0.5 (H) 0.5 (L) N/A N/A
Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety Rating Mounting Style Type Weight (-) Dimensions (IN-Inch) Frequency Band Frequency Range (MHz) Integrated GPS Intrinsic Safety	N/A N/A N/A N/A N/A Antenna id bands - 0.38 (W) 0.5 (H) 0.5 (L) N/A N/A



Antenna ID Bands, 10 Pack

Compatible with XPR series 3000,3000e,7000 and 7000e series, these MOTOTRBO atenna ID bands come in purple and ships in pack of 10.

Model No: 32012144005

Description: ANTENNA ID BAND (PURPLE- PACK OF 10PCS)

ROHS: Yes CE: N/A Country of Origin: CN

Price: €14.00



VHF Stubby Antenna,136-144 MHz

This antenna is designed for use with SL300 radios.

Model No: PMAD4144B

Description: VHF STUBBY ANT (136-144MHZ) 5CM **ROHS:** Yes **CE:** N/A **Country of Origin:** MY

Price: €14.00



VHF Stubby Antenna

VHF Stubby Antenna

Model No: PMAD4145B

Description: VHF STUBBY ANT (144-156MHZ) 5CM **ROHS:** Yes **CE:** N/A **Country of Origin:** MY

Price: €14.00



VHF Stubby Antenna

VHF Stubby Antenna, 155-174 MHz

Model No: PMAD4146B

Description: VHF STUBBY ANT (156-174MHZ) 5CM **ROHS:** Yes **CE:** N/A **Country of Origin:** MY

Price: €14.00



VHF Whip Antenna (136-144MHz)

Colour Code: BlackModel No: PMAD4154A

Description: VHF WHIP ANT (136-144MHZ) 9CM **ROHS:** Yes **CE:** N/A **Country of Origin:** MY

Price: €18.00

Weight (-)	_
Dimensions (IN-Inch)	0.38 (W) 0.5 (H) 0.5 (L)
Frequency Band	N/A
Frequency Range (MHz)	N/A
Integrated GPS	N/A
Intrinsic Safety Rating	N/A
Mounting Style	N/A
Туре	Antenna id bands
Material ()	
Weight (-) Dimensions (IN-	2 (W) 0.38 (H) 0.38 (L)
Inch)	2 (W) 0.36 (H) 0.36 (L)
Frequency Band	VHF
Frequency Range (MHz)	136-144 MHz
Integrated GPS	No
Intrinsic Safety Rating	N/A
Mounting Style	Stud
Туре	Portable radio antenna
Woight ()	
Weight (-) Dimensions (IN-	2 (W) 0.38 (H) 0.38 (L)
Inch)	2 (W) 0.30 (H) 0.30 (L)
Frequency Band	VHF
Frequency Range (MHz)	144-156 MHz
Integrated GPS	No
Intrinsic Safety Rating	N/A
Mounting Style	SMA-FEMALE
Туре	Portable radio antenna
Weight (-)	-
Dimensions (IN-	- (W) 2 (H) 0.5 (L)
Frequency Band	VHF
Frequency Range (MHz)	155-174 MHz
Integrated GPS	No
Intrinsic Safety Rating	N/A
Mounting Style	Stud
Туре	Portable radio antenna
Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Frequency Band	VHF
Frequency Range (MHz)	136-144 MHz
Integrated GPS	No
Intrinsic Safety Rating	N/A
Mounting Style	N/A
Туре	Portable radio antenna



VHF Whip Antenna (144-156MHz)

•Colour Code: Black **Model No:** PMAD4155A

Description: VHF WHIP ANT (144-156MHZ) 9CM **ROHS:** Yes **CE:** N/A **Country of Origin:** MY

Price: €18.00



VHF Whip Antenna (156-174MHz)

Colour Code: BlackModel No: PMAD4156A

Description: VHF WHIP ANT (156-174MHZ) 9CM **ROHS:** Yes **CE:** N/A **Country of Origin:** MY

Price: €18.00



Motorola UHF Stubby Antenna, 403-425 MHz

UHF stubby antenna for the 403-425 MHz range.

Model No: PMAE4093B

Description: UHF STUBBY ANT (403-425MHZ) 4.5CM **ROHS:** Yes **CE:** Yes **Country of Origin:** MY

Price: €14.00



UHF Stubby Antenna

UHF Stubby Antenna, 42-50 MHz

Model No: PMAE4094B

Description: UHF STUBBY ANT (420-445MHZ) 4.5CM **ROHS:** Yes **CE:** N/A **Country of Origin:** MY

Price: €14.00



UHF Stubby Antenna, 435-470 MHz

UHF 435-470 MHz antenna for SL1600 and SL300 portable

radios.

Model No: PMAE4095B

Description: UHF STUBBY ANT (435-470MHZ) 4.5CM **ROHS:** Yes **CE:** Yes **Country of Origin:** MY

Price: €14.00

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Frequency Band	VHF
Frequency Range (MHz)	144-156 MHz
Integrated GPS	No
Intrinsic Safety Rating	N/A
Mounting Style	N/A
Туре	Portable radio antenna
Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Frequency Band	VHF
Frequency Range (MHz)	N/A
Integrated GPS	No
Intrinsic Safety Rating	N/A
Mounting Style	N/A
Туре	Portable radio antenna
Weight (-)	
Dimensions (IN- Inch)	- (W) 1.75 (H) 0.5 (L)
Frequency Band	UHF
Frequency Range (MHz)	403-425 MHz
Integrated GPS	No
Intrinsic Safety Rating	N/A
Mounting Style	Stud
Туре	Portable radio antenna
Woight ()	
Weight (-) Dimensions (IN-Inch)	- (W) 1.88 (H) 0.5 (L)
Frequency Band	UHF
Frequency Range (MHz)	420-445 MHz
Integrated GPS	No
Intrinsic Safety Rating	N/A
Mounting Style	Stud
Туре	Portable radio antenna
Weight (-)	- (M) 1.75 (H) 0.5 (L)
Dimensions (IN- Inch)	- (W) 1.75 (H) 0.5 (L)
Frequency Band	UHF
Frequency Range (MHz)	435-470 MHz
Integrated GPS	No
Intrinsic Safety Rating	N/A
Mounting Style	Stud
Туре	Portable radio antenna



SL 1600 ACCESSORIES

REPAIR-PARTS



Fitting Seal

FITTING SEAL

Model No: 3271133M01

Description: FITTING SEAL

ROHS: Yes CE: N/A Country of Origin: MY

Price: €2.43



Audio Test Cable

AUDIO TEST CABLE

Model No: CB000233A01

Description: AUDIO TEST CABLE

ROHS: Yes CE: Yes Country of Origin: CN

Price: €21.00



Portable Programming Cable with TTR

PORTABLE PROGRAMMING WITH TTR

Model No: PMKN4128A

Description: PORTABLE PROGRAMMING WITH TTR **ROHS:** Yes **CE:** Yes **Country of Origin:** CN

Price: €45.00

Weight (-)	-
Dimensions (MM- Millimeter)	6 (W) 3.5 (H) 6 (L)

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Cable Type	Programming

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Cable Type	Programming



SL 1600 ACCESSORIES

EARPIECES



Replacement Foam Ear Plugs

These replacement foam plugs feature noise reduction (24 dB).

Model No: 5080384F72

Description: NOISE ATTENUATING PLUGS

ROHS: Yes CE: N/A Country of Origin: CN

Price: €1.12



Mag One Earbud With In-Line Microphone and PTT

Compatible with SL 3500e, this MOTOTRBO earpiece accessory is a mag one earbud with in-line microphone and push-to-talk. Color: black.

Model No: PMLN7156A

Description: EARBUD W IN-LINE MIC/PTT, MAG ONE **ROHS:** Yes **CE:** Yes **Country of Origin:** CN

Price: €27.00



2-Wire Surveillance Kit, Black

Compatible with SL 3500e and SL 7000 and 7000e series, this MOTOTRBO earpiece accessory is a 2-wire surveillance kit.

Color: black.

Model No: PMLN7157A

Description: 2-WIRE W/ TRANS TUBE, BLACK

ROHS: Yes CE: Yes Country of Origin: CN

Price: €59.00



Surveillance Earpiece With In-Line Microphone and PTT

Compatible with SL 3500e and SL 7000 and 7000e series, this MOTOTRBO earpiece accessory is a 1-wire surveillance kit.

Color: black.

Model No: PMLN7158A

Description: SURV. EARPIECE, IN-LINE MIC & PTT **ROHS:** Yes **CE:** Yes **Country of Origin:** MY

Price: €51.00

Weight (-)	-
Dimensions (IN- Inch)	0.5 (W) 1.75 (H) 0.5 (L)
Earpiece Type	Earpiece part
Industry	N/A
Intrinsic Safety Rating	N/A
Microphone	N/A
PTT	N/A
Weight (-)	-
Dimensions (IN- Inch)	0.06 (W) 1.38 (H) 0.75 (L)
Earpiece Type	In-ear
Industry	N/A
Intrinsic Safety Rating	N/A
Microphone	In-line
PTT	In-line
Weight (-)	-
Dimensions (IN- Inch)	0.63 (W) 6.75 (H) 1 (L)
Earpiece Type	Surveillance and covert
Industry	N/A
Intrinsic Safety Rating	N/A
Microphone	In-line
PTT	In the a
	In-line
	in-line
Weight (-)	-
Weight (-) Dimensions (IN-Inch)	- 0.75 (W) 6.5 (H) 1.5 (L)
Dimensions (IN-	-
Dimensions (IN- Inch)	- 0.75 (W) 6.5 (H) 1.5 (L)
Dimensions (IN- Inch) Earpiece Type	- 0.75 (W) 6.5 (H) 1.5 (L) Surveillance and covert
Dimensions (IN- Inch) Earpiece Type Industry Intrinsic Safety	- 0.75 (W) 6.5 (H) 1.5 (L) Surveillance and covert N/A
Dimensions (IN- Inch) Earpiece Type Industry Intrinsic Safety Rating	- 0.75 (W) 6.5 (H) 1.5 (L) Surveillance and covert N/A N/A



Adjustable D-Style Earpiece With In-Line Microphone and

PTT

Compatible with SL 7000 and 7000e series, this MOTOTRBO earpiece accessory is an adjustable D-style earpiece with in-line microphone and push-to-talk. Color: black.

Model No: PMLN7159A

Description: ADJUST D-STYLE W/ IN-LINE PTT/MIC ROHS: Yes CE: Yes Country of Origin: CN

Price: €45.50



Swivel Earpiece With In-Line Microphone and PTT

Compatible with SL 3500e and SL 7000/7000e series, this MOTOTRBO earpiece accessory is a swivel earpiece with in-line microphone and push-to-talk.

Model No: PMLN7189A

Description: SWIVEL EARPIECE, IN-LINE MIC & PTT ROHS: Yes CE: Yes Country of Origin: MY

Price: €43.00



Receive-Only Earpiece With Translucent Tube

This earpiece accessory is a receive-only earpiece with comfort

eartube.

Model No: PMLN7560A

Description: REC ONLY EARPIECE W/TRANSLUCENT TUBE

ROHS: Yes Country of Origin: CN CE: Yes

Price: €43.00



Quick-Disconnect Translucent Tube

Compatible with all portable radios, this MOTOTRBO low noise survellience accessory kit ships with a translucent tube and 1 clear rubber eartip.

Model No: RLN6242A

Description: QUICK DISCONNECT ACOUSTIC TUBE ROHS: Yes CE: N/A Country of Origin: N/A

Price: €9.00

Weight (-)	-
Dimensions (IN- Inch)	0.5 (W) 2.5 (H) 1.75 (L)
Earpiece Type	Over ear
Industry	N/A
Intrinsic Safety Rating	N/A
Microphone	In-line
PTT	In-line
Weight (-)	-
Dimensions (IN- Inch)	0.25 (W) 2.25 (H) 1.5 (L)
Earpiece Type	Over ear
Industry	N/A
Intrinsic Safety Rating	N/A
Microphone	In-line
PTT	In-line
Weight (GM-Gram)	61
Weight (GM-Gram) Dimensions (IN-Inch)	61 0.63 (W) 6.5 (H) 0.75 (L)
Dimensions (IN-	
Dimensions (IN- Inch)	0.63 (W) 6.5 (H) 0.75 (L)
Dimensions (IN- Inch) Earpiece Type	0.63 (W) 6.5 (H) 0.75 (L) RSM 3.5mm unthreaded rx only
Dimensions (IN-Inch) Earpiece Type Industry Intrinsic Safety	0.63 (W) 6.5 (H) 0.75 (L) RSM 3.5mm unthreaded rx only N/A
Dimensions (IN-Inch) Earpiece Type Industry Intrinsic Safety Rating	0.63 (W) 6.5 (H) 0.75 (L) RSM 3.5mm unthreaded rx only N/A N/A
Dimensions (IN-Inch) Earpiece Type Industry Intrinsic Safety Rating Microphone	0.63 (W) 6.5 (H) 0.75 (L) RSM 3.5mm unthreaded rx only N/A N/A N/A
Dimensions (IN-Inch) Earpiece Type Industry Intrinsic Safety Rating Microphone PTT	0.63 (W) 6.5 (H) 0.75 (L) RSM 3.5mm unthreaded rx only N/A N/A N/A N/A
Dimensions (IN-Inch) Earpiece Type Industry Intrinsic Safety Rating Microphone PTT Weight (-) Dimensions (IN-	0.63 (W) 6.5 (H) 0.75 (L) RSM 3.5mm unthreaded rx only N/A N/A N/A N/A
Dimensions (IN-Inch) Earpiece Type Industry Intrinsic Safety Rating Microphone PTT Weight (-) Dimensions (IN-Inch)	0.63 (W) 6.5 (H) 0.75 (L) RSM 3.5mm unthreaded rx only N/A N/A N/A - 1 (W) 6.25 (H) 2.25 (L)
Dimensions (IN-Inch) Earpiece Type Industry Intrinsic Safety Rating Microphone PTT Weight (-) Dimensions (IN-Inch) Earpiece Type	0.63 (W) 6.5 (H) 0.75 (L) RSM 3.5mm unthreaded rx only N/A N/A N/A - 1 (W) 6.25 (H) 2.25 (L) In-ear
Dimensions (IN-Inch) Earpiece Type Industry Intrinsic Safety Rating Microphone PTT Weight (-) Dimensions (IN-Inch) Earpiece Type Industry Intrinsic Safety	0.63 (W) 6.5 (H) 0.75 (L) RSM 3.5mm unthreaded rx only N/A N/A N/A - 1 (W) 6.25 (H) 2.25 (L) In-ear N/A
Dimensions (IN-Inch) Earpiece Type Industry Intrinsic Safety Rating Microphone PTT Weight (-) Dimensions (IN-Inch) Earpiece Type Industry Intrinsic Safety Rating	0.63 (W) 6.5 (H) 0.75 (L) RSM 3.5mm unthreaded rx only N/A N/A N/A - 1 (W) 6.25 (H) 2.25 (L) In-ear N/A N/A



SL 1600 ACCESSORIES

LEGACY

æ

æ

5 Year Enhanced Warranty uplift from Standard Warranty for Entry tier MOTOTRBO devices

Enhances with 5 Year Enhanced Warranty for Entry tier MOTOTRBO devices.

Model No: GMLN5553A

Description: 5YR ENHANCED WARRANTY DEVICE ENTRY ROHS: N/A CE: N/A Country of Origin: N/A

Price: €14.50

5 Year Repair uplift from Enhanced Warranty for Entry tier MOTOTRBO devices

Enhances the 5 Year Enhanced Warranty for Entry tier MOTOTRBO devices to include Hardware Repair with one way shipping for the full term

Model No: GMLN5554A

Description: 5YR ENH WARR WITH REP TRBO DEVICE

ENTRY

ROHS: N/A CE: N/A Country of Origin: N/A

Price: €70.00

æ

5 Year Repair with Accidental Damage uplift from Enhanced Warranty for Entry tier MOTOTRBO devices

Enhances the 5 Year Enhanced Warranty for Entry tier MOTOTRBO devices to include Hardware Repair with accidental damage and two way shipping for the full term

Model No: GMLN5562A

Description: 5YR ENH WARR REPAIR AND ACC DAM ENTRY ROHS: N/A CE: N/A Country of Origin: N/A

Price: €145.00

Weight (-) - (W) - (H) - (L)

Weight (-) - (W) - (H) - (L)

Weight (-) Dimensions (-) - (W) - (H) - (L)

Weight (GM-Gram)

8 7



PROFESSIONAL RADIOS

SL 1600 ACCESSORIES

CARRY

Nylon Wrist Strap

This nylon strap wraps conveniently around the wrist, allowing you to easily carry your radio. The adjustable strap adds protection against accidental drops.

Model No: PMLN6074A

Description: WRIST STRAP

ROHS: Yes CE: N/A Country of Origin: CN

Price: €11.00

Flexible Quick-Release Hand Strap

This flexible hand strap is ideal for users who prefer to hold their radio while in use versus using a clip.

Model No: PMLN7076A

Description: CARRY ACCESSORY-STRAP, FLEXIBLE QUICK

RELEASE HAND STRAP

ROHS: Yes CE: N/A Country of Origin: CN

Price: €24.00

Heavy-Duty Belt Clip

Compatible with SL 3500e, this MOTOTRBO carry accessory is a heavy-duty belt clip deisgned with a plastic material to increase durability and allow you to safely secure your radio to your belt.

Model No: PMLN7128A

Description: CARRY ACCESSORY-BELT CLIP, HEAVY-DUTY

SWIVEL BELT CLIP

ROHS: Yes CE: N/A Country of Origin: MY

Price: €20.00

Swivel Carry Holster

Compatible with SL 3500e, this MOTOTRBO carry accessory is a swivel carry holder.

Model No: PMLN7190A

Description: CARRY ACCESSORY-HOLSTER, SWIVEL CARRY

HOLSTER

ROHS: Yes CE: N/A Country of Origin: MY

Price: €17.00

Weight (Oill Crain)	0.7
Dimensions (IN- Inch)	0.13 (W) 12.38 (H) 0.25 (L)
Belt Loop / Clip Dimension (in)	N/A
Compatible Batteries	N/A
Display	N/A
Material	Nylon
Туре	Belts and straps
Weight (-)	-
Dimensions (IN- Inch)	0.06 (W) 6 (H) 0.88 (L)
Belt Loop / Clip Dimension (in)	N/A
Compatible Batteries	N/A
Display	N/A
Material	Nylon
Туре	Belts and straps
Weight (-)	-
Weight (-) Dimensions (IN-Inch)	- 0.75 (W) 2.75 (H) 0.88 (L)
Dimensions (IN-	
Dimensions (IN- Inch) Belt Loop / Clip	0.75 (W) 2.75 (H) 0.88 (L)
Dimensions (IN- Inch) Belt Loop / Clip Dimension (in) Compatible	0.75 (W) 2.75 (H) 0.88 (L) 2.5 inch
Dimensions (IN- Inch) Belt Loop / Clip Dimension (in) Compatible Batteries	0.75 (W) 2.75 (H) 0.88 (L) 2.5 inch N/A
Dimensions (IN- Inch) Belt Loop / Clip Dimension (in) Compatible Batteries Display	0.75 (W) 2.75 (H) 0.88 (L) 2.5 inch N/A N/A
Dimensions (IN-Inch) Belt Loop / Clip Dimension (in) Compatible Batteries Display Material Type	0.75 (W) 2.75 (H) 0.88 (L) 2.5 inch N/A N/A Plastic
Dimensions (IN-Inch) Belt Loop / Clip Dimension (in) Compatible Batteries Display Material	0.75 (W) 2.75 (H) 0.88 (L) 2.5 inch N/A N/A Plastic
Dimensions (IN-Inch) Belt Loop / Clip Dimension (in) Compatible Batteries Display Material Type	0.75 (W) 2.75 (H) 0.88 (L) 2.5 inch N/A N/A Plastic
Dimensions (IN-Inch) Belt Loop / Clip Dimension (in) Compatible Batteries Display Material Type Weight (-) Dimensions (IN-	0.75 (W) 2.75 (H) 0.88 (L) 2.5 inch N/A N/A Plastic Belt Clip
Dimensions (IN-Inch) Belt Loop / Clip Dimension (in) Compatible Batteries Display Material Type Weight (-) Dimensions (IN-Inch) Belt Loop / Clip	0.75 (W) 2.75 (H) 0.88 (L) 2.5 inch N/A N/A Plastic Belt Clip - 1.13 (W) 5.13 (H) 2.38 (L)
Dimensions (IN-Inch) Belt Loop / Clip Dimension (in) Compatible Batteries Display Material Type Weight (-) Dimensions (IN-Inch) Belt Loop / Clip Dimension (in) Compatible	0.75 (W) 2.75 (H) 0.88 (L) 2.5 inch N/A N/A Plastic Belt Clip - 1.13 (W) 5.13 (H) 2.38 (L) 2 inch
Dimensions (IN-Inch) Belt Loop / Clip Dimension (in) Compatible Batteries Display Material Type Weight (-) Dimensions (IN-Inch) Belt Loop / Clip Dimension (in) Compatible Batteries	0.75 (W) 2.75 (H) 0.88 (L) 2.5 inch N/A N/A Plastic Belt Clip - 1.13 (W) 5.13 (H) 2.38 (L) 2 inch N/A



SL 1600 ACCESSORIES

CHARGERS



Single Unit Charger Replacement Base

Model No: PMLN7094A

Description: CHR STD SUC EXT

ROHS: Yes CE: Yes Country of Origin: MY

Price: €59.00



Multi-Unit Desktop Charger (Euro Plug)

•Maintenance system: No •Operating voltage AC: 100-240

Display: No •Charger Type: Non-IMPRES

Model No: PMLN7102A

Description: CHR STD MUC INT EU

ROHS: Yes CE: Yes Country of Origin: N/A

Price: €477.00



Single-Unit Rapid-Rate Charger (EURO Plug)

This charger is compatible with SL1600 radios.

Model No: PMLN7110A

Description: CHR STD SUC EXT EU

ROHS: Yes CE: Yes Country of Origin: MY

Price: €70.00



Multi-Unit Desktop Charger (UK Plug)

•Maintenance system: No •Operating voltage AC: 100-240

Display: No •Charger Type: Non-IMPRES

Model No: PMLN7162A

Description: CHR STD MUC INT UK

ROHS: Yes CE: Yes Country of Origin: CN

Price: €477.00

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Number of Displays	0
Number of Pockets	1
Plug Type	N/A
Power Source	N/A
Technology	Motorola original
Туре	Charger base
Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Number of Displays	0
Number of Pockets	6
Plug Type	EURO
Power Source	N/A
Technology	Motorola original
Туре	Multi unit charger
Weight (-)	-
Dimensions (IN- Inch)	1.25 (W) 2.75 (H) 2.75 (L)
Number of Displays	0
Number of Pockets	1
Plug Type	EURO
Power Source	N/A
Technology	Motorola original
Туре	Single unit charger
Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Number of Displays	0
Number of Pockets	6
Plug Type	UK
Power Source	N/A
Technology	Motorola original
Туре	Multi unit charger

Maight ()



Single Unit Charger(UK)

• Maintenance system: N •Operating Voltage : 5 Volts(DC)
•Display: No •Charger Type: Non IMPRES •Note: Charger Pocket allows battery to be charged by lying flat in the pocket

Model No: PMLN7163A

Description: CHR STD SUC EXT UK

ROHS: Yes CE: Yes Country of Origin: MY

Price: €70.00



Micro-USB Wall Cube Charger

This is a power supply for Motorola SL 7550 radios.

Model No: PS000042A11

Description: POWER SUPPLY ADAPTOR, POWER- WALL

CUBE, AC, DC, PWR SUPPLY ADPT, WALL

CUBE,AC,DC,SWITCH MODE,5W,100V-240V,MICRO-USB,US/

JP

ROHS: Yes

CE: No

Country of Origin: CN

Price: €22.50



Switch Mode Power Supply (UK)

•Operating Temperature(°C):0°C to +40°C •Storage Temperature(°C):-40°C to 70°C •Operating Voltage (Vac): 100-240

Model No: PS000042A13

Description: POWER SUPPLY ADAPTOR, POWER- WALL CUBE, AC, DC, SWITCH MODE, 5W, 100 V - 240 V, MICRO-USB,

UK/HK

ROHS: Yes CE: Yes Country of Origin: CN

Price: €32.00

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Number of Displays	0
Number of Pockets	1
Plug Type	UK/HK
Power Source	N/A
Technology	Motorola original
Туре	Single unit charger
Weight (-)	-
Dimensions (IN- Inch)	1.75 (W) 2.63 (H) 1.25 (L)
Number of Displays	0
Number of Pockets	1
Plug Type	US
Power Source	N/A
Technology	Power supply
Туре	Charger component
Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Number of Displays	0
Number of Pockets	1
Plug Type	UK/HK
Power Source	N/A
Technology	Power supply
Туре	Charger component



PROFESSIONAL RADIOS SL 1600 ACCESSORIES

REMOTESPEAKERMICS



RM250 Wired Remote Speaker Microphone, IP67

Compatible with SL series, this MOTOTRBO remote speaker microphone is the RM250 wired remote speaker microphone, large (IP67).

Model No: PMMN4125B

Description: AUDIO ACCESSORY-REMOTE SPEAKER

MICROPHONE

ROHS: Yes CE: Yes Country of Origin: MY

Price: €207.00

Weight (KG- Kilogram)	0.023
Dimensions (-)	- (W) - (H) - (L)
Channel Control	No
Display	No display
Industry	N/A
Intelligent Audio	N/A
Intrinsic Safety Rating	No rating
IP Rating	IP67
Microphone Type	Windporting
Programmable Button	No
Technology	Original
Volume Control	No
Audiobuchse	3.5mm non-threaded



PROFESSIONAL RADIOS SL 1600 ACCESSORIES

BATTERIES



Li-Ion 2300mAH Battery

Model No: PMNN4468B

Description: BATTERY PACK,BATT LIION 2300T **ROHS:** Yes **CE:** N/A **Country of Origin:** CN

Price: €63.00

Weight (-)	-
Dimensions (-)	- (W) - (H) - (L)
Chemistry	Li-lon 2300 mAh
Intrinsic Safety Rating	No rating
IP Rating	N/A
Technology	Original
Туре	Battery